

ANTIOXIDANT AND ANTI-CHOLINESTERASE ACTIVITIES OF *Centella
asiatica* PHENOLIC EXTRACT-MEDIATED GOLD NANOPARTICLES

MUHAMMAD SOHAIL LATIF


A thesis submitted in
fulfilment of the requirement for the award of the
Doctor of Philosophy in Science

Faculty of Applied Sciences and Technology
Universiti Tun Hussein Onn Malaysia

JULY 2019

DEDICATION

To Almighty Allah,
the most beneficent and the most merciful,
who is the creator of this universe and guides us to search and research
the mysteries of His creations.



ACKNOWLEDGMENT

I wish to express my profound gratitude to Almighty Allah who made it possible for me to pursue my Ph.D. study in Malaysia. I would like to extend my gratitude to my supervisor Dr. Faridah Kormin for her guidance, support, motivation, mentorship and for giving me the platform and opportunity to pursue this research. I cannot quantify my gratitude Dr., may Allah reward you abundantly as you stayed and supported me through thick and thin of my hard time. I am also heartily thankful to my co-supervisor, Assoc. Prof. Dr. Kamarulzaki Mustafa, for his guidance and encouragement during the course of my project. Also, I would be thankful to my co-supervisor, Assistant Prof. Dr. Muhammad Khan, for his valuable guidance all the way along this journey.

I wish to acknowledge both the academic and non-academic staff of the Faculty, my sincere thanks go to my Deputy Dean of Research, Publication & Development, Assoc. Prof. Dr. Fadzelly Abu Bakar, Dr. Hazel Monica and all the staff of Microbiology and Analysis Labs who made it feasible to carry out the research activities of this project.

I also wish to extend my gratitude to my colleagues who helped me go throughout this journey. I appreciate the assistance and patience granted to me by microbiology lab staff to use the laboratory facilities.

My special gratitude goes to my family members especially my wife, Sameera Abbas, for being cooperative and supportive during the whole period of the project. Thank you very much. Your support, love, and care are well acknowledged. I really appreciate all the kind gestures, motivation and prayers. May Allah reward you all with long healthy and prosperous life!

Finally, I would like to thank the office of research, innovation, and commercialization center (ORICC), Universiti Tun Hussein Onn Malaysia for making my study possible through the support with GPPS grant (vote no. U490) in addition to RACE grant (vote no. 1518) and RAGS grant (vote no. 050).

ABSTRACT

In the present study, the green synthesis and optimization of gold nanoparticles (GNPs) using *C. asiatica* phenolic extract (CAP) were reported followed by the characterization with UV-vis, FTIR, Zeta potential, FESEM, EDX and XRD analyses. Total phenolic and flavonoid contents (TPC and TFC), antioxidant and anticholinesterase (anti-ChE) activities were also tested *in vitro* and Pearson correlation analysis was performed. The GNP synthesis using CAP was successfully accomplished under optimum conditions of reactants ratio of 1:1, 8 % CAP concentration, 0.5 mM HAuCl₄ concentration and pH 9 at different temperatures of reaction medium (25 °C, 40 °C, 55 °C and 70 °C). The results showed that the size range of GNPs was reduced from 6-40 nm at 25 °C to 6-30 nm at 40 °C and 55 °C while the sphericity of GNPs increased and the surface plasmon resonance (SPR) band became narrow. Although all GNP samples showed good antioxidant and anti-ChE activities (% I), the highest activity was recorded for the GNPs synthesized at 55 °C, that is, 69.06 % and 76.72 % for ABTS and DPPH, and 71.71 % and 69.88 % for AChE and BChE, respectively, at the highest concentration of 500 µL sample. However, the maximum % I for ABTS and DPPH scavenging (79.76 ± 1.01 and 75.51 ± 1.54 , respectively) was shown by ascorbic acid, and for AChE and BChE inhibition (75.18 ± 2.29 and 79.94 ± 1.11 , respectively) by galanthamine. Pearson correlation analyses revealed a strong positive correlation between antioxidant activity and phenolic content as well as between anti-ChE and antioxidant activities for all GNP samples. The GNPs did not possess a significant cytotoxicity as shown by 20% mortality in brine shrimp lethality assay. The GNPs were haemocompatible as they induced 0.92 % haemolysis at the highest concentration (500 µL) in haemolysis assay compared to 99 % haemolysis by positive control. In conclusion, the results of this study show that CAP-GNPs possess good antioxidant and anticholinesterase activities, in addition to being non-cytotoxic and non-haemolytic, may be an option to further explore their therapeutic potential as antioxidant and cholinesterase inhibitors.

ABSTRAK

Dalam kajian ini, sintesis hijau dan pengoptimuman nanopartikel emas (GNP) menggunakan ekstrak fenolik *C. asiatica* (CAP) diikuti dengan pencirian melalui analisis UV-vis, FTIR, potensi Zeta, FESEM, EDX dan analisis XRD telah dijalankan. Jumlah kandungan fenol dan flavonoid (TPC dan TFC), aktiviti antioksidan dan antikolinesterase (anti-ChE) juga diuji dalam analisis in-vitro dan kolerasi Pearson turut dilakukan. Sintesis GNP menggunakan CAP berjaya dicapai di bawah keadaan tindak balas optimum pada nisbah 1:1, 8 % kepekatan CAP, kepekatan HAuCl₄ 0.5 mM dan pH 9 pada suhu yang berbeza (25 °C, 40 °C, 55 °C dan 70 °C) dalam tindak balas sederhana. Keputusan menunjukkan bahawa julat saiz GNP berkurang dari 6-40 nm pada 25 °C kepada 6-30 nm pada 40 °C dan 55 °C, sferisiti GNPs pula meningkat dan jalur permukaan resonans plasmon menjadi sempit. Walaupun semua sampel GNP menunjukkan aktiviti antioksida dan anti-ChE yang baik (% I), aktiviti tertinggi dicatatkan untuk GNP yang disintesis pada suhu 55 °C, untuk ABTS dan DPPH masing-masing mencatat 69.06 % dan 76.72 %, manakala untuk AChE dan BChE mencatat 71.71 % dan 69.88 %. Walau bagaimanapun, % I maksimum untuk ABTS dan DPPH (79.76 ± 1.01 dan 75.51 ± 1.54) masing-masing ditunjukkan oleh asid askorbik, dan untuk perencatan AChE dan BChE (75.18 ± 2.29 dan 79.94 ± 1.11) oleh galanthamine. Analisis korelasi Pearson menunjukkan korelasi positif yang kuat antara aktiviti antioksidan dan kandungan fenolik serta aktiviti anti-ChE dan antioksidan untuk semua sampel GNP. GNP tidak mempunyai sitotoksiti yang ketara di mana keputusan hayat mortaliti kurang menunjukkan 20 % dalam ujian kematian udang garam. Bagi ujian hemolisis, GNP didapati sesuai di dalam darah kerana nilai hemolisis adalah 0.92 % pada kepekatan 500 μ L berbanding dengan nilai hemolisis setinggi 99 % bagi kawalan positif. Kesimpulannya, hasil kajian ini menunjukkan bahawa CAP-GNP mempunyai aktiviti antioksidan dan antikolinesterase yang baik, tambahan pula ia bukan sitotoksik dan bukan haemolitik, serta mempunyai potensi terapeutik sebagai perencat antioksida dan antikolinesterase.

CONTENTS

TITLE	i
DECLARATION	ii
DEDICATION	iii
ACKNOWLEDGMENT	iv
ABSTRACT	v
ABSTRAK	vi
CONTENTS	vii
LIST OF TABLES	xi
LIST OF FIGURES	xiii
LIST OF SYMBOLS AND ABBREVIATIONS	xvi
LIST OF APPENDICES	xx
LIST OF PUBLICATIONS	xxi
CHAPTER 1 INTRODUCTION	1
1.1 Background of study	1
1.2 Problem statement	4
1.3 Objectives of the study	6
1.4 Scope of study	7
1.5 Significance of the study	7
1.6 Thesis organization	8
CHAPTER 2 LITERATURE REVIEW	10
2.1 Alzheimer's disease (AD)	10
2.1.1 Signs and symptoms	11
2.1.2 Pathogenesis	12
2.1.3 Diagnosis	19
2.1.4 Treatment	20
2.1.5 Phytotherapeutics	23
2.2 The polyphenols	24

2.2.1	Pharmacological importance	27
2.2.2	Role of flavonoids and neurological disorders	28
2.2.3	Natural anti-A β inhibitors	30
2.2.4	Role as antioxidants	32
2.2.5	Role as cholinesterase inhibitors	35
2.3	<i>Centella asiatica</i>	39
2.3.1	Phytochemical constituents	40
2.3.2	Medicinal importance	42
2.3.3	Neuroprotective activity	44
2.4	Green synthesis of nanoparticles	47
2.4.1	Biological synthesis of nanoparticles and its applications	51
2.4.2	Plant-based nanomaterials	52
2.4.3	Green synthesis of <i>C. asiatica</i> -mediated nanoparticles	59
2.4.4	Advantages of gold nanoparticles	60
2.5	Optimization and characterization of GNPs	61
2.5.1	Ultraviolet-visible (UV-vis) spectroscopy	62
2.5.2	Fourier transform infrared (FTIR) spectroscopy	63
2.5.3	Zeta potential	64
2.5.4	Field emission scanning electron microscopy (FESEM)	65
2.5.5	Energy dispersive X-ray spectroscopy (EDX)	66
2.5.6	X-ray diffraction (XRD)	67
2.5.7	Current status of related research in Malaysia and abroad	68
CHAPTER 3 MATERIALS AND METHODS		70
3.1	Framework of research activities	70
3.2	Chemicals and reagents	70
3.3	Preparation of <i>C. asiatica</i> crude phenolic extract	72
3.3.1	Qualitative detection of phenolic	

compounds	72
3.4 Optimization of CAP-mediated GNP synthesis	73
3.4.1 Optimization of the ratio of reactants	73
3.4.2 Optimization of CAP concentration	74
3.4.3 Optimization of HAuCl ₄ concentration	74
3.4.4 Optimization of pH of CAP	75
3.4.5 Optimization of the temperature of reaction medium	76
3.5 Characterization of GNPs	76
3.5.1 Ultraviolet-visible (UV-vis) spectrophotometry	76
3.5.2 Fourier transform infrared (FTIR) spectroscopy	77
3.5.3 Measurement of zeta potential	77
3.5.4 Field emission scanning electron microscopy (FESEM)	78
3.5.5 Energy dispersive X-ray spectroscopy (EDX)	78
3.5.6 X-ray diffraction (XRD)	79
3.6 Determination of total phenolic content	80
3.7 Determination of total flavonoids content	80
3.8 Determination of antioxidant activity	81
3.8.1 ABTS free radical scavenging activity	81
3.8.2 DPPH free radical scavenging activity	82
3.9 Determination of anticholinesterase activity	83
3.10 Determination of cytotoxicity	84
3.11 Haemocompatibility assay of CAP and CAP-GNPs	85
3.12 Statistical Analysis	86
CHAPTER 4 RESULTS AND DISCUSSION	87
4.1 The percent yield of <i>C. asiatica</i> crude phenolic extract	87
4.2 Optimization and characterization of GNPs	87
4.2.1 UV-vis spectra analyses	87

4.2.2	FTIR analyses of CAP and GNPs	103
4.2.3	Measurement of zeta potential	108
4.2.4	FESEM and EDX analyses of GNPs	110
4.2.5	XRD analysis of GNPs	117
4.3	Determination of TPC and TFC	118
4.4	Antioxidant activity of CAP and GNPs	121
4.5	Free radical scavenging activity	121
4.5.1	Correlation between TPC, TFC and antioxidant activity	125
4.6	Anticholinesterase activity of CAP and GNPs	127
4.6.1	Mechanism of cholinesterase inhibition by nanoparticles	133
4.6.2	Correlation between anticholinesterase and antioxidant activities	133
4.7	Cytotoxicity of CAP and GNPs	135
4.8	Determination of haemocompatibility	136
	CHAPTER 5 CONCLUSIONS AND RECOMMENDATIONS	139
5.1	Conclusions	139
5.2	Recommendations for future work	140
	REFERENCES	143
	APPENDIX	199
	VITA	201

LIST OF TABLES

2.1	Adverse effects of different anti-AD drugs	22
2.2	Advantages and disadvantages of anti-AD therapeutic approaches	23
2.3	Subclasses of dietary flavonoid with examples	27
2.4	Flavonoids as anti-amyloid and anti-secretase inhibitors	32
2.5	Taxonomy of <i>Centella asiatica</i>	39
2.6	Phytochemical composition of CA	41
2.7	Methods of nanoparticle synthesis	48
2.8	Mechanisms and applications of PMN	54
3.1	Optimization parameters for CAP-mediated GNP synthesis	75
3.2	Composition of AChE/BChE reaction mixtures	83
4.1	Effect of ratio of reactants on GNP synthesis	90
4.2	Effect of CAP concentration on GNP synthesis	91
4.3	Effect of HAuCl ₄ concentration on GNP synthesis	95
4.4	Effect of pH on GNP synthesis	97
4.5	Effect of temperature on GNP synthesis	103
4.6	Assignment of functional groups on GNPs by FTIR	106
4.7	Zeta potential of as-synthesized GNPs	108
4.8	EDX profile of elemental composition of GNPs	113
4.9	Size distribution of GNPs according to particle number concentration	115
4.10	TPC and TFC estimation	119
4.11	ABTS free radical scavenging assay	122
4.12	DPPH free radical scavenging assay	125

4.13	Pearson's correlation between TPC, TFC and antioxidant capacities	126
4.14	Pearson correlation between antioxidant capacities	127
4.15	Comparison between % inhibition of AChE and BChE	128
4.16	Pearson correlation between anti-ChE and antioxidant capacities	134
4.17	Brine shrimps lethality assay	136
4.18	Haemocompatibility assay of P9.55	137



LIST OF FIGURES

2.1	The structures of anti-AD cholinesterase inhibitors: (a) Tacrine, (b) Donepezil, (c) Galanthamine, (d) Physostigmine and (e) Rivastigmine	21
2.2	The basic skeletons and types of polyphenols	25
2.3	The basic skeletons and types of flavonoids	26
2.4	Mechanism of free radical (R°) scavenging by flavonoid (Fl-O)	34
2.5	Chemical structures of different subgroups of flavonoids	37
2.6	Photograph of <i>Centella asiatica</i>	40
2.7	Green synthesis and characterization of nanoparticles using plants	50
2.8	Biological synthesis and applications of MNPs	51
2.9	Mechanism of polyphenols-mediated GNP synthesis: (i) polyphenols, and (ii) synthesis and stabilization of gold nanoparticles:	59
2.10	UV-vis spectra of nanoparticles using plant leaf extract (a) AgNPs and (b) AuNPs	63
2.11	FTIR spectra of (a) gum kondagogu (b) GNPs capped by gum kondagogu	64
2.12	Zeta potential of GNPs synthesized by banana fruit waste extract	65
2.13	(a) and (b) FESEM images of 5% v/v <i>Azolla microphylla</i>	66
2.14	EDX spectrum of <i>Piper longum</i> -GNPs showing strong signals of Au	67

2.15	XRD spectrum of <i>Elettaria cardamomum</i> seed mediated GNPs	68
3.1	Framework of research activities	71
4.1	Photograph showing change in colour before and after GNP synthesis reaction: (a) CAP and HAuCl ₄ before GNP synthesis , (b) as-synthesized GNPs at pH 3, 6, 9 and 12, and (c) as-synthesized GNPs at 25, 40, 55 and 70 °C	88
4.2	Effect of reactants ratio on GNP synthesis.	90
4.3	Effect of CAP concentration on GNP synthesis: UV-vis spectra after 24 hours	92
4.4	Effect of HAuCl ₄ concentration on GNP synthesis	94
4.5	Effect of pH on GNP synthesis: UV-vis spectra at (a) 3.5 h and (b) 24 h.	96
4.6	Colloidal interactions	100
4.7	Effect of temperature on GNP synthesis: UV-vis spectra (a) 70 min and (b) 24 h	101
4.8	FTIR spectra of GNPs synthesized at different pH conditions: (a) CAP, (b) P3.25, (c) P6.25, (d) P9.25, and (e) P12.25.	104
4.9	FTIR spectra of GNPs synthesized at different temperatures: (a) CAP, (b) P9.25, (c) P9.40, (d) P9.55, and (e) P9.70.	105
4.10	Zeta potential measurement: (a) CAP, (b) P9.25, (c) P9.40, (d) P9.55, and (e). P9.70	109
4.11	FESEM images of CAP-GNPS at magnification of 100,000 x: (a) P9.25, (b), P9.40, (c) P9.55, and (d) P9.70.	111
4.12	EDX spectra of GNPs: (a) P9.25, (b) P9.40, (c), P9.55, and (d) P9.70.	112
4.13	FESEM image of P9.70 showing CAP-GNPs.	113
4.14	EDX analysis of P9.70 GNPs: (a) Electron image showing the area of GNPs spotted for capturing (b) EDX spectrum showing the Au peaks related	

	to elemental gold in GNPs.	114
4.15	Size distribution graph of GNPs: (a) P9.25, (b) P9.40, (c) P9.55, and (d) P9.70.	116
4.16	XRD pattern of P9.25	118
4.17	Standard curves: (a) Gallic acid (b) Rutin	118
4.18	Quantitative estimation of phenolic content: (a) TPC and (b) TFC of CAP and CAP-GNPs.	120
4.19	ABTS free radical scavenging assay: (a) P9.25, (b) P9.40, (c) P9.55, (d) P9.70, (e) CAP, and (f) ascorbic acid.	123
4.20	DPPH free radical scavenging assay: (a) P9.25, (b) P9.40, (c) P9.55, (d) P9.70, (e) CAP, and (f) ascorbic acid.	124
4.21	Acetylcholinesterase assay: (a) P9.25, (b) P9.40, (c) P9.55, (d) P9.70, (e) CAP, and (f) galanthamine.	130
4.22	Butyrylcholinesterase assay: (a) P9.25, (b) P9.40, (c) P9.55, (d) P9.70, (e) CAP, and (f) galanthamine.	132
4.23	Brine shrimp lethality assay.	135
4.24	Microscopic images of human erythrocytes at a magnification of 10x: (a) Negative control, (b) positive control, (c) 100 μ L GNPs, (d) 200 μ L GNPs, (e) 300 μ L GNPs, (f) 400 μ L GNPs, and (g), 500 μ L GNPs.	138

LIST OF SYMBOLS AND ABBREVIATIONS

α	-	Alpha
Fl-O°	-	Aroxyl radical
β	-	Beta
°C	-	Degree Celsius
R°	-	Free radical
γ	-	Gamma
λ	-	Lambda
μL	-	Microliter
μM	-	Micromole
% I	-	Percent inhibition
τ	-	Tau
θ	-	Theta
ζ	-	Zeta
A β	-	Amyloid beta
ABTS	-	2,2'-azino-di-(3-ethylbenzthiazoline sulfonic acid)
ACh	-	Acetylcholine
AChE	-	Acetylcholinesterase
AD	-	Alzheimer's disease
ADDL	-	Amyloid derived diffusible ligands
Ag	-	Silver
AgCl ₄	-	Silver chloride
AgNP	-	Silver nanoparticle
ApoE	-	Apolipoprotein E
APP	-	Amyloid precursor protein
Au	-	Gold
AuNP	-	Gold nanoparticle
BACE1	-	β -site amyloid precursor protein cleaving enzyme 1

BBB	-	Blood-brain barrier
BCh	-	Butyrylcholine
BChE	-	Butyrylcholinesterase
BHA	-	Betahydroxyanisole
BHT	-	Betahdroxytoluene
BSLA	-	Brine shrimp lethality assay
C	-	Carbon
C=O	-	Carbonyl
CA	-	<i>Centella asiatica</i>
Ca	-	Calcium
CAP	-	<i>Centella asiatica</i> phenolic extract
CAT	-	Catalase
CdNP	-	Cadmium nanoparticle
CdS	-	Cadmium sulfide
Ce	-	Cerium
CeNP	-	Cerium nanoparticle
ChAT	-	Choline acetyltransferase
ChE	-	Cholinesterase
ChEI	-	Cholinesterase inhibitor
ChT1	-	Choline transporter
CNS	-	Central nervous system
CQAs	-	Dicaffeoylquinic acids
CSF	-	Cerebrospinal fluid
Cu	-	Copper
DDS	-	Drug delivery system
DMY	-	Dihydromyricetin
DNA	-	Deoxyribonucleic acid
DPPH	-	2,2-diphenyl-1-picrylhydrazyl
DTNB	-	5,5'-Dithiobis [2-nitrobenzoic acid]
EDL	-	Electrostatic double layer
EDX	-	Energy dispersive X-ray spectroscopy
EGCG	-	Epigallocatechin gallate
FDA	-	Food and drug administration
Fe	-	Iron

FESEM	-	Field emission scanning electron microscope
FL-OH	-	Flavonoid
FTC	-	Ferric thiocyanate
FTIR	-	Fourier transform infra-red spectroscopy
GABA _A	-	Adrenergic γ -amminobutyric acid
GAE	-	Gallic acid equivalent
GNP	-	Gold nanoparticle
GPx	-	Glutathione peroxidase
h	-	Hour
HAuCl ₄	-	Gold chloride
HCl	-	Hydrochloric acid
HFD	-	High fat diet
H ₂ O ₂	-	Hydrogen peroxide
Hsp	-	Heat shock protein
IC ₅₀	-	Half maximal inhibitory concentration
ICV	-	Intracerebroventricular
LPO	-	Lipid peroxidation
LTP	-	Long-term potentiation
MDA	-	Malondialdehyde
min	-	Minute
mL	-	Milliliter
mM	-	Millimole
Mn	-	Manganese
MNP	-	Metal nanoparticle
MRI	-	Magnetic resonance imaging
MSG	-	Monosodium glutamate
mV	-	Millivolt
NaCl	-	Sodium chloride
NaOH	-	Sodium hydroxide
Ni	-	Nickel
NMDA	-	N-methyl-D-aspartate
NP	-	Nanoparticle
O ₂	-	Oxygen
O ₂ ^{•-}	-	Superoxide radical

OH	-	Hydroxyl group
PAC	-	Proanthocyanidin
PBS	-	Phosphate buffered saline
PCO	-	Protein carbonyl
PECAM-1	-	Platelet endothelial cell adhesion molecule-1
PGC-1 α	-	Peroxisome proliferator activated receptor-gamma co-activator-1 α
PMN	-	Phenolics-mediated nanoparticle
ppm	-	Parts per million
Pt	-	Platinum
PTZ	-	Pentylene-tetrazole
R ²	-	Coefficient of determination
RBC	-	Red blood cell
RE	-	Rutin equivalents
ROS	-	Reactive oxygen species
rpm	-	Revolutions per minute
Se	-	Selenium
sec	-	Second
SERS	-	Surface enhanced Raman scattering
Sirt1	-	Silent information regulator 2 family of protein 1
SOD	-	Superoxide dismutase
SPR	-	Surface plasmon resonance
STZ	-	Streptozotocin
TBA	-	Thiobarbituric acid
TBARS	-	Thiobarbituric acid reactive substance
TFC	-	Total flavonoids content
TPC	-	Total phenolics content
Ti	-	Titanium
UTHM	-	University Tun Hussein Onn Malaysia
UV-vis	-	Ultraviolet-visible
VACht	-	Vesicular acetylcholine transporter
vdW	-	van der Waals forces
XRD	-	X-ray diffraction
Zn	-	Zinc

LIST OF APPENDICES

APPENDIX	TITLE	PAGE
A	Research Participant Informed Consent Form	199



LIST OF PUBLICATIONS

1. **Muhammad Sohail Latif**, Faridah Kormin, Mohd Kamarulzaki Mustafa, Ida Idayu Muhamad, Muhammad Khan, Sameera Abbas, Muhammad Ihsan Ghazali, Nor Shafawati Shafie, Mohd Fadzelly Abu Bakar, Siti Fatimah Sabran, Siti Fatimah Zahrah Mohamad Fuzi. (2018). Effect of temperature on the synthesis of *Centella asiatica* flavonoids extract-mediated gold nanoparticles: UV-visible spectra analyses. *AIP Conference Proceedings*. 2018. AIP Publishing. (Scopus indexed).
2. **Muhammad Sohail Latif**, Sameera Abbas, Faridah Kormin, Mohd. Kamarulzaki Mustafa. (2019). Green synthesis of plant-mediated metal nanoparticles: The role of polyphenols. *Asian Journal of Pharmaceutical and Clinical Research* (Scopus). Accepted for publication in vol. 12, issue 7, July, 2019.

Latest submission

1. Faridah Kormin, **Muhammad Sohail Latif**, Sameera Abbas, Ida Idayu Muhamad, Muhammad Khan, Muhammad Ihsan Ghazali, Nor Shafawati Shafie. (2018). Antioxidant and antiacetylcholinesterase activities of *Centella asiatica* for the treatment of Alzheimer's disease. *South African Journal of Botany* (ISI/Scopus indexed). Decision pending.
2. **Muhammad Sohail Latif**, Faridah Kormin, Sameera Abbas, Mohd. Kamarulzaki Mustafa, Muhammad Khan, Ida Idayu Muhamad. (2019). Antioxidant and anticholinesterase activities of *Centella asiatica* phenolics extract-mediated gold nanoparticles. *Journal of Drug Delivery Science and Technology* (ISI/Scopus indexed). Under review.

Conferences

1. **Latif, M. S.**, Kormin, F, Mustafa, M. K., Mohamad, I. I., Khan, M., Abbas, S., Ghazali, M. I., Shafie, N. S., Sabran, S. F., Zahrah, S. F., & Fuzi, Z. M. (2018). Effect of temperature on the synthesis of *Centella asiatica* flavonoids extract-

mediated gold nanoparticles: UV-vis spectra analyses. International conference on applied science & technology, 2018 (ICAST 2018) from 10th-12th April 2018 at Sunway Hotel, Penang, Malaysia. (Scopus indexed).

2. **Latif, M.S.,** Kormin, F, Mustafa, M.K., Mohamad, I.I., Khan, M., Abbas, S., Ghazali, M.I., Shafie, N.S., Sabran, S.F., Zahrah, S.F., & Fuzi, S.F.Z.M. (2018). Green synthesis of *Centella asiatica* (pegaga) flavonoids extract-mediated gold nanoparticles. International conference of chemical engineering and industrial biotechnology 2018 (ICCEIB-2018) from 1st -2nd August 2018 at Seri Pacific Hotel, Kuala Lumpur, Malaysia.



CHAPTER 1

INTRODUCTION

1.1 Background of study

In recent years, considerable efforts have been put into the use and application of nanotechnology for achieving the goal of effective drug delivery into the brain for neurological disorders (Saeedi *et al.*, 2019). In this context, the nanoparticles (NPs) have been described as an effective carrier for drug delivery to the target tissue and they have emerged as valuable tools in imaging, diagnosis and drug delivery (Rizvi & Saleh, 2018; Saraiva *et al.*, 2016).

Gold NPs (GNPs)-mediated therapeutic drug development is a promising area of research. Although GNPs were proved as the inhibitors of amyloid beta ($A\beta$) aggregation, the lack of specificity is an issue. However, there is convincing evidence on the use of GNPs to overcome the shortcoming posed by the blood-brain barrier (BBB) (Fonseca-Santos *et al.*, 2015; Karthivashan *et al.*, 2018). The degradation of $A\beta$ fibrils and plaques has been reported as a treatment approach for Alzheimer's disease (AD).

The largest group of secondary metabolites in plants is constituted by the phenolic compounds including the simple ones with only one aromatic ring such as catechol and gallic acid, and the complex polymers like lignins and tannins (Altemimi *et al.*, 2017). The phenolic compounds play a defensive role in the prevention of infections along with ameliorating the oxidative stress in case of injury (Setkovis *et al.*, 2007). Various researches have indicated that phenolic compounds possess significant antioxidant activity (Cory *et al.*, 2018). It is reported that the phenolic compounds scavenge the free radicals by virtue of their hydroxyl groups or conjugated ring structures (Mathew *et al.*, 2015).

Polyphenols found in medicinal plants are reported as a diverse group of bioactive compounds with significant antioxidant activities. It was inferred that the flavonoids constitute the main phenolic compounds that confer the antioxidant properties to plant extracts (Tungmunthum *et al.*, 2018). Many phenolic compounds including a variety of flavonoids have also been reported for their neuroprotective activity. For instance, various phenolic compounds have been reported to have anxiolytic and sedative effects in animal model studies by direct binding to adrenergic γ -aminobutyric acid (GABA_A) receptors, in a similar pattern as found with a tri-substituted benzoflavone moiety from *Passiflora incarnata* (Aman *et al.*, 2016; Dhawan *et al.*, 2004) and 6-hydroxyflavone (Ren *et al.*, 2010). The inhibition of acetylcholinesterase (AChE) is considered as an effective therapeutic strategy for different types of dementia including AD. A variety of plant species around the globe have been screened and reported for anti-ChE activity (Mathew & Subramanian, 2014).

Alzheimer's disease is the most common worldwide dementia disorder of old age that is still incurable even after more than a hundred years of its discovery (Franceschi *et al.*, 2018). The pathogenesis of AD has been linked with various factors such as A β , neurofibrillary tangles and synaptic loss in the brain especially in response to the decreased levels of neurotransmitters, acetylcholine (ACh) and butyrylcholine (BCh), and the degeneration of cholinergic neurons in the cortex and hippocampus of the brain (Sanabria-Castro *et al.*, 2017; Şenol *et al.*, 2010). The AChE and butyrylcholinesterase (BChE) are responsible for the release of ACh and BCh, respectively, at the nerve endings in the cholinergic neurons. The termination of a nerve impulse at the cholinergic synapses is carried out by the rapid hydrolysis of ACh and BCh by AChE and BChE, respectively. As the AD patients are deficient in ACh and BCh, it is imperative to raise the levels of ACh and BCh (Orhan, 2012; Reale *et al.*, 2018).

Moreover, age-related increase in oxidative stress has been strongly linked to the onset of AD. Several studies performed on AD patients reported an increasingly rapid rate of oxidative stress in the affected brains (Mecocci *et al.*, 2018) which led to the current interest in oxidative stress hypothesis to decipher the molecular basis of AD (Christen, 2000; Wojsiat *et al.*, 2018). Oxidative stress is a condition in which there is a production of reactive oxygen species (ROS) beyond the control of the

antioxidant defence system. Also, the accumulation of oxidized and damaged macromolecules due to their inefficient removal and renewal lead to oxidative stress. Although, different sources of ROS have been suggested, the active redox metals such as Fe^{2+} and Cu^{2+} , and A β protein ranked among the top two most common sources (Cheignon *et al.*, 2018; Di Meo *et al.*, 2016; Smith *et al.*, 2010).

The accumulation of A β protein in the brain leads to the generation of hydrogen peroxide (H_2O_2) depending on the presence of O_2 whereby the regulation of overall catalytic reaction is done by Fe^{2+} and Cu^{2+} (Cheignon *et al.*, 2018). A deficiency or functional loss of antioxidant enzymes like superoxide dismutase (SOD), glutathione peroxidase (GPx), and catalase (CAT), as well as the non-enzymatic antioxidant factors, as reflected by a decrease in their specific activity, has been linked with AD (Tramutola *et al.*, 2017). As a consequence of the oxidative stress, the damages occur to the cellular functions and viability in response to the ROS led damages to the cellular membranes including the intracellular content (Padurariu *et al.*, 2013). On the basis of this hypothesis, there is an overwhelming interest in the study of antioxidants such as flavonoids for the treatment of AD (Bulboaca *et al.*, 2017).

The effective treatment to delay the onset or stop the progression of AD is still lacking due to the challenges posed by the unknown aetiology of the onset of AD and a significant hindrance to brain drug delivery by the BBB. Currently available anti-AD medicines either do not stop the progressive AD pathology or are incapable of reversing the phases of disease to restore the brain function to normal (Hane *et al.*, 2017; Khoury *et al.*, 2017). Although the pathogenesis of AD has been explained by many hypotheses including A β hypothesis, cholinergic hypothesis, metal hypothesis, oxidative stress hypothesis, tau hypothesis, etc. (Cubinkova *et al.*, 2018), it cannot be comprehensively explained by a single hypothesis. Therefore, the current treatment regimen for AD is only focused on symptomatic amelioration. So, it is imperative to focus on new drug discovery with efficient drug delivery and effective release into the brain for the successful treatment of AD. As for the drug discovery, phytochemical screening and characterization of plants traditionally used for the treatment of AD appear to be promising which have explored many phytochemicals as therapeutic agents for AD (Atanasov *et al.*, 2015; D'Onofrio *et al.*, 2017). In this connection, nanotechnology offers two-fold benefits related to the therapeutic potential of drugs, in that it may hide the limiting properties of potential drug molecules thereby

REFERENCES

- Abbott, N. J. (2002). Astrocyte–endothelial interactions and blood–brain barrier permeability. *Journal of Anatomy*, 200(6), pp. 629-638.
- Abdel-Raouf, N., Al-Enazi, N. M., & Ibraheem, I. B. (2017). Green biosynthesis of gold nanoparticles using *Galaxaura elongata* and characterization of their antibacterial activity. *Arabian Journal of Chemistry*, 10, pp. S3029-S3039.
- Abdel Hamid, A. A., Al-Ghobashy, M. A., Fawzy, M., Mohamed, M. B., & Abdel-Mottaleb, M. M. (2013). Phytosynthesis of Au, Ag, and Au–Ag bimetallic nanoparticles using aqueous extract of sago pondweed (*Potamogeton pectinatus* L.). *ACS Sustainable Chemistry & Engineering*, 1(12), pp. 1520-1529.
- Abdel Moneim, E. A. (2015). Oxidant/antioxidant imbalance and the risk of Alzheimer's disease. *Current Alzheimer Research*, 12(4), pp. 335-349.
- Aguiar, S., & Borowski, T. (2013). Neuropharmacological review of the nootropic herb *Bacopa monnieri*. *Rejuvenation Research*, 16(4), pp. 313-326.
- Ahmad, T., Irfan, M., & Bhattacharjee, S. (2016). Parametric Study on Gold Nanoparticle Synthesis Using Aqueous *Elaise Guineensis* (Oil palm) Leaf Extract: Effect of Precursor Concentration. *Procedia Engineering*, 148, pp. 1396-1401.
- Ahmad, T., Irfan, M., Bustam, M. A., & Bhattacharjee, S. (2016). Effect of reaction time on green synthesis of gold nanoparticles by using aqueous extract of *Elaise guineensis* (oil palm leaves). *Procedia Engineering*, 148, pp. 467-472.
- Ahmed, K. B. A., & Anbazhagan, V. (2017). Synthesis of copper sulfide nanoparticles and evaluation of *in vitro* antibacterial activity and *in vivo* therapeutic effect in bacteria-infected zebrafish. *RSC Advances*, 7(58), pp. 36644-36652.
- Ajayan, P. M. (2004) Nanotechnology: how does a nanofibre grow? *Nature*, 427(6973), pp. 402–403

- Akula, U. S., & Odhav, B. (2008). *In vitro* 5-lipoxygenase inhibition of polyphenolic antioxidants from undomesticated plants of South Africa. *Journal of Medicinal Plants Research*, 2(9), pp. 207-212.
- Alqahtani, A., Hamid, K., Kam, A., Wong, K., Abdelhak, Z., Razmovski-Naumovski, V., Chan, K., Li, K. M., Groundwater, P. W., & Li, G. Q. (2013). The pentacyclic triterpenoids in herbal medicines and their pharmacological activities in diabetes and diabetic complications. *Current Medicinal Chemistry*, 20(7), pp. 908-931.
- Altemimi, A., Lakhssassi, N., Baharlouei, A., Watson, D., & Lightfoot, D. (2017). Phytochemicals: Extraction, Isolation, and Identification of Bioactive Compounds from Plant Extracts. *Plants*, 6(4), pp. 42.
- Alves, D. R., Maia de Moraes, S., Tomiotto-Pellissier, F., Miranda-Sapla, M. M., Vasconcelos, F. R., Silva, I. N. G. d., Araujo de Sousa, H., Assolini, J. P., Conchon-Costa, I., & Pavanelli, W. R. (2017). Flavonoid composition and biological activities of ethanol extracts of *Caryocar coriaceum* Wittm., a native plant from Caatinga Biome. *Evidence-Based Complementary and Alternative Medicine*, 2017, pp. 1-7.
- Alzoubi, F., Alzoubi, J., Alqadi, M., Alshboul, H., & Aljarrah, K. (2015). Synthesis and characterization of colloidal gold nanoparticles controlled by the pH and ionic strength. *Chinese Journal of Physics*, 53(5), pp. 100801-100801.
- Aman, U., Subhan, F., Shahid, M., Akbar, S., Ahmad, N., Ali, G., Fawad, K., & Sewell, R. D. (2016). *Passiflora incarnata* attenuation of neuropathic allodynia and vulvodinia apropos GABA-ergic and opioidergic antinociceptive and behavioural mechanisms. *BMC Complementary and Alternative Medicine*, 16(1), pp. 77.
- Amić, A., Lučić, B., Stepanić, V., Marković, Z., Marković, S., Marković, J. M. D., & Amić, D. (2017). Free radical scavenging potency of quercetin catecholic colonic metabolites: Thermodynamics of $2H^+/2e^-$ processes. *Food Chemistry*, 218, pp. 144-151.
- An, I.-S., An, S., Kang, S.-M., Choe, T.-B., Lee, S. N., Jang, H. H., & Bae, S. (2012). Titrated extract of *Centella asiatica* provides a UVB protective effect by altering microRNA expression profiles in human dermal fibroblasts. *International Journal of Molecular Medicine*, 30(5), pp. 1194-1202.

- Anand, R., Gill, K. D., & Mahdi, A. A. (2014). Therapeutics of Alzheimer's disease: Past, present and future. *Neuropharmacology*, 76, pp. 27-50.
- Anand, T., Mahadeva, N., Phani, K. G., & Farhath, K. (2010). Antioxidant and DNA Damage Preventive Properties of *Centella asiatica* (L) Urb. *Pharmacognosy Journal*, 2(17), pp. 53-58.
- Ankamwar, B. (2010). Biosynthesis of gold nanoparticles (green-gold) using leaf extract of *Terminalia catappa*. *Journal of Chemistry*, 7(4), pp. 1334-1339.
- Antony, B., Santhakumari, G., Merina, B., Sheeba, V., & Mukkadan, J. (2006). Hepatoprotective effect of *Centella asiatica* (L) in carbon tetrachloride-induced liver injury in rats. *Indian Journal of Pharmaceutical Sciences*, 68(6), pp. 772.
- Aromal, S. A., & Philip, D. (2012). Green synthesis of gold nanoparticles using *Trigonella foenum-graecum* and its size-dependent catalytic activity. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 97, pp. 1-5.
- Aromal, S. A., Vidhu, V., & Philip, D. (2012). Green synthesis of well-dispersed gold nanoparticles using *Macrotyloma uniflorum*. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 85(1), pp. 99-104.
- Arts, I. C., van de Putte, B., & Hollman, P. C. (2000). Catechin contents of foods commonly consumed in The Netherlands. 2. Tea, wine, fruit juices, and chocolate milk. *Journal of Agricultural and Food Chemistry*, 48(5), pp. 1752-1757.
- Aruoma, O. I., Bahorun, T., & Jen, L.-S. (2003). Neuroprotection by bioactive components in medicinal and food plant extracts. *Mutation Research/Reviews in Mutation Research*, 544(2-3), pp. 203-215.
- Atanasov, A. G., Waltenberger, B., Pferschy-Wenzig, E.-M., Linder, T., Wawrosch, C., Uhrin, P., Temml, V., Wang, L., Schwaiger, S., & Heiss, E. H. (2015). Discovery and resupply of pharmacologically active plant-derived natural products: a review. *Biotechnology Advances*, 33(8), pp. 1582-1614.
- Ayaz, M., Junaid, M., Ahmed, J., Ullah, F., Sadiq, A., Ahmad, S., & Imran, M. (2014). Phenolic contents, antioxidant and anticholinesterase potentials of crude extract, subsequent fractions and crude saponins from *Polygonum hydropiper* L. *BMC Complementary and Alternative Medicine*, 14(1), pp. 145.

- Azhdarzadeh, M., Saei, A. A., Sharifi, S., Hajipour, M. J., Alkilany, A. M., Sharifzadeh, M., Ramazani, F., Laurent, S., Mashaghi, A., & Mahmoudi, M. (2015). Nanotoxicology: advances and pitfalls in research methodology. *Nanomedicine*, 10(18), pp. 2931-2952.
- Azis, H., Taher, M., Ahmed, A., Sulaiman, W., Susanti, D., Chowdhury, S., & Zakaria, Z. (2017). *In vitro* and *In vivo* wound healing studies of methanolic fraction of *Centella asiatica* extract. *South African Journal of Botany*, 108, pp. 163-174.
- Aziz, Z., Davey, M., Power, J., Anthony, P., Smith, R., & Lowe, K. (2007). Production of asiaticoside and madecassoside in *Centella asiatica* *in vitro* and *in vivo*. *Biologia Plantarum*, 51(1), pp. 34-42.
- Baas, P. W., Rao, A. N., Matamoros, A. J., & Leo, L. (2016). Stability properties of neuronal microtubules. *Cytoskeleton*, 73(9), pp. 442-460.
- Babu, T., Kuttan, G., & Padikkala, J. (1995). Cytotoxic and anti-tumour properties of certain taxa of Umbelliferae with special reference to *Centella asiatica* (L.) Urban. *Journal of Ethnopharmacology*, 48(1), pp. 53-57.
- Babykutty, S., Padikkala, J., Sathiadevan, P., Vijayakurup, V., Azis, T., Srinivas, P., & Gopala, S. (2009). Apoptosis induction of *Centella asiatica* on human breast cancer cells. *African Journal of Traditional, Complementary and Alternative Medicines*, 6(1), pp. 9-16.
- Bagli, E., Goussia, A., Moschos, M. M., Agnantis, N., & Kitsos, G. (2016). Natural compounds and neuroprotection: mechanisms of action and novel delivery systems. *in vivo*, 30(5), pp. 535-547.
- Banks, W. A., & Erickson, M. A. (2010). The blood–brain barrier and immune function and dysfunction. *Neurobiology of Disease*, 37(1), pp. 26-32.
- Barbosa Filho, J. M., Medeiros, K. C. P., Diniz, M. d. F. F., Batista, L. M., Athayde-Filho, P. F., Silva, M. S., da Cunha, E. V., Almeida, J. R., & Quintans-Júnior, L. J. (2006). Natural products inhibitors of the enzyme acetylcholinesterase. *Revista Brasileira de Farmacognosia*, 16(2), pp. 258-285.
- Bature, F., Guinn, B.-a., Pang, D., & Pappas, Y. (2017). Signs and symptoms preceding the diagnosis of Alzheimer's disease: a systematic scoping review of literature from 1937 to 2016. *BMJ Open*, 7(8), pp. e015746.
- Beecher, G. R. (2003). Overview of dietary flavonoids: nomenclature, occurrence and intake. *The Journal of nutrition*, 133(10), pp. 3248S-3254S.

- Bhuvanasree, S., Harini, D., Rajaram, A., & Rajaram, R. (2013). Rapid synthesis of gold nanoparticles with *Cissus quadrangularis* extract using microwave irradiation. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 106, pp. 190-196.
- Bogireddy, N. K. R., Anand, K. K. H., & Mandal, B. K. (2015). Gold nanoparticles—Synthesis by *Sterculia acuminata* extract and its catalytic efficiency in alleviating different organic dyes. *Journal of Molecular Liquids*, 211, pp. 868-875.
- Boopathy, R., Chitra, L., Prabha, N. S., & Babu, S. A. (2009). Effect of asiatic acid on hippocampal cell line: A novel inhibitor of acetylcholinesterase from *Centella asiatica*. *Alzheimer's & Dementia: The Journal of the Alzheimer's Association*, 5(4), pp. P328-P329.
- Borchert, H., Shevchenko, E. V., Robert, A., Mekis, I., Kornowski, A., Grübel, G., & Weller, H. (2005). Determination of nanocrystal sizes: a comparison of TEM, SAXS, and XRD studies of highly monodisperse CoPt3 particles. *Langmuir*, 21(5), pp. 1931-1936.
- Bors, W., Heller, W., Michel, C., & Saran, M. (1990). Flavonoids as antioxidants: determination of radical-scavenging efficiencies, *Methods in Enzymology*, 186, pp. 343-355.
- Boverhof, D. R., Bramante, C. M., Butala, J. H., Clancy, S. F., Lafranconi, M., West, J., & Gordon, S. C. (2015). Comparative assessment of nanomaterial definitions and safety evaluation considerations. *Regulatory Toxicology and Pharmacology*, 73(1), pp. 137-150.
- Brand-Williams, W., Cuvelier, M.-E., & Berset, C. (1995). Use of a free radical method to evaluate antioxidant activity. *LWT-Food Science and Technology*, 28(1), pp. 25-30.
- Brinkhaus, B., Lindner, M., Schuppan, D., & Hahn, E. (2000). Chemical, pharmacological and clinical profile of the East Asian medical plant *Centella asiatica*. *Phytomedicine*, 7(5), pp. 427-448.
- Bulboaca, A. E., Bolboaca, S. S., Stanescu, I. C., Sfrangeu, C. A., & Bulboaca, A. C. (2017). Antioxidant effect of flavonoids in neurodegenerative diseases. *Romanian Journal of Neurology*, 16(2), pp. 46-52.

- Bunpo, P., Kataoka, K., Arimochi, H., Nakayama, H., Kuwahara, T., Bando, Y., Izumi, K., Vinitketkumnuen, U., & Ohnishi, Y. (2004). Inhibitory effects of *Centella asiatica* on azoxymethane-induced aberrant crypt focus formation and carcinogenesis in the intestines of F344 rats. *Food and Chemical Toxicology*, 42(12), pp. 1987-1997.
- Burda, C., Chen, X., Narayanan, R., & El-Sayed, M. A. (2005). Chemistry and properties of nanocrystals of different shapes. *Chemical Reviews*, 105(4), pp. 1025-1102.
- Butterfield, D. A., & Boyd-Kimball, D. (2018). Oxidative stress, amyloid- β peptide, and altered key molecular pathways in the pathogenesis and progression of Alzheimer's disease. *Journal of Alzheimer's Disease*, 62(3), pp. 1345-1367.
- Bylka, W., Znajdek- Awizeń, P., Studzińska- Sroka, E., Dańczak- Pazdrowska, A., & Brzezińska, M. (2014). *Centella asiatica* in dermatology: an overview. *Phytotherapy Research*, 28(8), pp. 1117-1124.
- Cai, Z., Zhao, B. & Ratka, A. (2011). Oxidative stress and β -amyloid protein in Alzheimer's disease. *Neuromolecular Medicine*, 13(4), pp. 223-250.
- Calabrese, C., Gregory, W. L., Leo, M., Kraemer, D., Bone, K., & Oken, B. (2008). Effects of a standardized *Bacopa monnieri* extract on cognitive performance, anxiety, and depression in the elderly: a randomized, double-blind, placebo-controlled trial. *The Journal of Alternative and Complementary Medicine*, 14(6), pp. 707-713.
- Cao, G., Sofic, E., & Prior, R. L. (1997). Antioxidant and prooxidant behavior of flavonoids: structure-activity relationships. *Free Radical Biology and Medicine*, 22(5), pp. 749-760.
- Carmo Carreiras, M., Mendes, E., Jesus Perry, M., Paula Francisco, A., & Marco-Contelles, J. (2013). The multifactorial nature of Alzheimer's disease for developing potential therapeutics. *Current Topics in Medicinal Chemistry*, 13(15), pp. 1745-1770.
- Carvajal, F. J., & Inestrosa, N. C. (2011). Interactions of AChE with A β aggregates in Alzheimer's brain: therapeutic relevance of IDN 5706. *Frontiers in Molecular Neuroscience*, 4, pp. 19.
- Chahardoli, A., Karimi, N., & Fattahi, A. (2017). Biosynthesis, characterization, antimicrobial and cytotoxic effects of silver nanoparticles using *Nigella*

- arvensis* seed extract. *Iranian Journal of Pharmaceutical Research*, 16(3), pp. 1167.
- Chandran, S. P., Chaudhary, M., Pasricha, R., Ahmad, A., & Sastry, M. (2006). Synthesis of gold nanotriangles and silver nanoparticles using *Aloevera* plant extract. *Biotechnology Progress*, 22(2), pp. 577-583.
- Chandrika, U. G., & Kumara, P. A. P. (2015). Gotu kola (*Centella asiatica*): nutritional properties and plausible health benefits *Advances in Food and Nutrition Research*, 76, pp. 125-157.
- Chang, Y.-T., Chang, W.-N., Tsai, N.-W., Huang, C.-C., Kung, C.-T., Su, Y.-J., Lin, W.-C., Cheng, B.-C., Su, C.-M., & Chiang, Y.-F. (2014). The roles of biomarkers of oxidative stress and antioxidant in Alzheimer's disease: a systematic review. *BioMed Research International*, 2014, pp. 182303.
- Chanwitheesuk, A., Teerawutgulrag, A., & Rakariyatham, N. (2005). Screening of antioxidant activity and antioxidant compounds of some edible plants of Thailand. *Food Chemistry*, 92(3), pp. 491-497.
- Cheignon, C., Tomas, M., Bonnefont-Rousselot, D., Faller, P., Hureau, C., & Collin, F. (2018). Oxidative stress and the amyloid beta peptide in Alzheimer's disease. *Redox Biology*, 14, pp. 450-464.
- Cheirmadurai, K., Biswas, S., Murali, R., & Thanikaivelan, P. (2014). Green synthesis of copper nanoparticles and conducting nanobiocomposites using plant and animal sources. *RSC Advances*, 4(37), pp. 19507-19511.
- Chen, C.-L., Tsai, W.-H., Chen, C.-J., & Pan, T.-M. (2016). *Centella asiatica* extract protects against amyloid β 1-40-induced neurotoxicity in neuronal cells by activating the antioxidative defence system. *Journal of Traditional and Complementary Medicine*, 6(4), pp. 362-369.
- Chen, J. C., Lin, Z. H., & Ma, X. X. (2003). Evidence of the production of silver nanoparticles via pretreatment of *Phoma* sp.3.2883 with silver nitrate. *Letters in Applied Microbiology*, 37, pp. 105-8.
- Chen, L., Glass, J. J., De Rose, R., Sperling, C., Kent, S. J., Houston, Z. H., Fletcher, N. L., Rolfe, B. E., & Thurecht, K. J. (2018). Influence of Charge on Hemocompatibility and Immunoreactivity of Polymeric Nanoparticles. *ACS Applied Bio Materials*, 1(3), pp. 756-767.

- Chen, Z., & Zhong, C. (2014). Oxidative stress in Alzheimer's disease. *Neuroscience Bulletin*, 30(2), pp. 271-281.
- Cheng, C., & Koo, M. (2000). Effects of *Centella asiatica* on ethanol induced gastric mucosal lesions in rats. *Life Sciences*, 67(21), pp. 2647-2653.
- Cheng, C. L., Guo, J. S., Luk, J., & Koo, M. W. L. (2004). The healing effects of Centella extract and asiaticoside on acetic acid induced gastric ulcers in rats. *Life Sciences*, 74(18), pp. 2237-2249.
- Cheng, Y.-C., Huang, Y.-C., & Liu, H.-C. (2018). Effect of Apolipoprotein E ϵ 4 Carrier Status on Cognitive Response to Acetylcholinesterase Inhibitors in Patients with Alzheimer's Disease: A Systematic Review and Meta-Analysis. *Dementia and Geriatric Cognitive Disorders*, 45(5-6), pp. 335-352.
- Chew, K., Khoo, M., Ng, S., Thoo, Y., Aida, W. W., & Ho, C. (2011). Effect of ethanol concentration, extraction time and extraction temperature on the recovery of phenolic compounds and antioxidant capacity of *Orthosiphon stamineus* extracts. *International Food Research Journal*, 18(4), pp. 1427.
- Chinapongtitiwat, V., Jongaroontaprangsee, S., Chiewchan, N., & Devahastin, S. (2013). Important flavonoids and limonin in selected Thai citrus residues. *Journal of Functional Foods*, 5(3), pp. 1151-1158.
- Choi, M. J., Zheng, H. M., Kim, J. M., Lee, K. W., Park, Y. H., & Lee, D. H. (2016). Protective effects of *Centella asiatica* leaf extract on dimethylnitrosamine- induced liver injury in rats. *Molecular Medicine Reports*, 14(5), pp. 4521-4528.
- Choi, S.-M., Kim, B. C., Cho, Y.-H., Choi, K.-H., Chang, J., Park, M.-S., Kim, M.-K., Cho, K.-H., & Kim, J.-K. (2014). Effects of flavonoid compounds on β -amyloid-peptide-induced neuronal death in cultured mouse cortical neurons. *Chonnam Medical Journal*, 50(2), pp. 45-51.
- Chong, N. J., Aziz, Z., Jhala, V., & Thaker, V. (2011). A systematic review on the chemical constituents of *Centella asiatica*. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 2(3), pp. 445-459.
- Chowdhury, M. A. (2017). Metal- organic- frameworks for biomedical applications in drug delivery, and as MRI contrast agents. *Journal of Biomedical Materials Research Part A*, 105(4), pp. 1184-1194.

- Christen, Y. (2000). Oxidative stress and Alzheimer disease. *The American Journal of Clinical Nutrition*, 71(2), pp. 621S-629S.
- Cobley, J. N., Fiorello, M. L., & Bailey, D. M. (2018). 13 reasons why the brain is susceptible to oxidative stress. *Redox Biology*, 15, pp. 490-503.
- Constant, J. (1997). Alcohol, ischemic heart disease, and the French paradox. *Clinical Cardiology*, 20(5), pp. 420-424.
- Correa, S., Naranjo, A., & Herrera, A. (2016). Biosynthesis and characterization of gold nanoparticles using extracts of *Tamarindus indica* L leaves. *Journal of Physics: Conference Series*. IOP Publishing. pp. 012082
- Cory, H., Passarelli, S., Szeto, J., Tamez, M., & Mattei, J. (2018). The role of polyphenols in human health and food systems: A Mini-Review. *Frontiers in Nutrition*, 5, pp. 87.
- Cubinkova, V., Valachova, B., Uhrinova, I., Brezovakova, V., Smolek, T., Jadhav, S., & Zilka, N. (2018). Alternative hypotheses related to Alzheimer's disease. *Bratislavske Lekarske Listy*, 119(4), pp. 210-216.
- Cummings, J., Aisen, P. S., DuBois, B., Frölich, L., Jack, C. R., Jones, R. W., Morris, J. C., Raskin, J., Dowsett, S. A., & Scheltens, P. (2016). Drug development in Alzheimer's disease: the path to 2025. *Alzheimer's Research & Therapy*, 8(1), pp. 39.
- Cummings, J., Lee, G., Mortsdorf, T., Ritter, A., & Zhong, K. (2017). Alzheimer's disease drug development pipeline: 2017. *Alzheimer's & Dementia: Translational Research & Clinical Interventions*, 3(3), pp. 367-384.
- Cummings, J., Lee, G., Ritter, A., & Zhong, K. (2018). Alzheimer's disease drug development pipeline: 2018. *Alzheimer's & Dementia: Translational Research & Clinical Interventions*, 4, pp. 195-214.
- Cummings, J. L., Morstorf, T., & Zhong, K. (2014). Alzheimer's disease drug-development pipeline: few candidates, frequent failures. *Alzheimer's Research & Therapy*, 6(4), pp. 37.
- Curcio, C. A., & Kemper, T. (1984). Nucleus raphe dorsalis in dementia of the Alzheimer type: neurofibrillary changes and neuronal packing density. *Journal of Neuropathology & Experimental Neurology*, 43(4), pp. 359-368.

- D'Onofrio, G., Sancarolo, D., Ruan, Q., Yu, Z., Panza, F., Daniele, A., Greco, A., & Seripa, D. (2017). Phytochemicals in the treatment of Alzheimer's disease: a systematic review. *Current Drug Targets*, 18(13), pp. 1487-1498.
- Dajas, F., Rivera-Megret, F., Blasina, F., Arredondo, F., Abin-Carriquiry, J. A., Costa, G., Echeverry, C., Lafon, L., Heizen, H., Ferreira, M., & Morquio A. (2003). Neuroprotection by flavonoids. *Brazilian Journal of Medical & Biological Research*, 36 (12), pp. 1613-1620.
- Darvesh, S. (2016). Butyrylcholinesterase as a diagnostic and therapeutic target for Alzheimer's disease. *Current Alzheimer Research*, 13(10), pp. 1173-1177.
- Darvesh, S., Hopkins, D. A., & Geula, C. (2003). Neurobiology of butyrylcholinesterase. *Nature Reviews Neuroscience*, 4(2), pp. 131.
- Das, J., & Velusamy, P. (2014). Catalytic reduction of methylene blue using biogenic gold nanoparticles from *Sesbania grandiflora* L. *Journal of the Taiwan Institute of Chemical Engineers*, 45(5), pp. 2280-2285.
- Das, R. K., Borthakur, B. B., & Bora, U. (2010). Green synthesis of gold nanoparticles using ethanolic leaf extract of *Centella asiatica*. *Materials Letters*, 64(13), pp. 1445-1447.
- Das, R. K., Gogoi, N., & Bora, U. (2011). Green synthesis of gold nanoparticles using *Nyctanthes arbortristis* flower extract. *Bioprocess and Biosystems Engineering*, 34(5), pp. 615-619.
- Dash, B., Faruquee, H., Biswas, S., Alam, M., Sisir, S., & Prodhan, U. (2011). Antibacterial and antifungal activities of several extracts of *Centella asiatica* L. against some human pathogenic microbes. *Life Sciences and Medicine Research*, 2011, pp. 1-5.
- Dash, S. S., & Bag, B. G. (2014). Synthesis of gold nanoparticles using renewable *Punica granatum* juice and study of its catalytic activity. *Applied Nanoscience*, 4(1), pp. 55-59.
- Dauthal, P., & Mukhopadhyay, M. (2013a). Biosynthesis of palladium nanoparticles using *Delonix regia* leaf extract and its catalytic activity for nitro-aromatics hydrogenation. *Industrial & Engineering Chemistry Research*, 52(51), pp. 18131-18139.

- Dauthal, P., & Mukhopadhyay, M. (2013b). In-vitro free radical scavenging activity of biosynthesized gold and silver nanoparticles using *Prunus armeniaca* (apricot) fruit extract. *Journal of Nanoparticle Research*, 15(1), pp. 1366.
- de Andrade Teles, R. B., Diniz, T. C., Pinto, C., Coimbra, T., de Oliveira Júnior, R. G., Gama e Silva, M., de Lavor, É. M., Fernandes, A. W. C., de Oliveira, A. P., & de Almeida Ribeiro, F. P. R. (2018). Flavonoids as therapeutic agents in Alzheimer's and Parkinson's diseases: a systematic review of preclinical evidences. *Oxidative Medicine and Cellular Longevity*, 2018, pp. 7043213.
- De Lange, D. W., Verhoef, S., Gorter, G., Kraaijenhagen, R. J., Van De Wiel, A., & Akkerman, J. W. N. (2007). Polyphenolic grape extract inhibits platelet activation through PECAM- 1: an explanation for the French paradox. *Alcoholism: Clinical and Experimental Research*, 31(8), pp. 1308-1314.
- Deokar, G. K. & Ingale, A. G. (2016). Green synthesis of gold nanoparticles (Elixir of Life) from banana fruit waste extract – an efficient multifunctional agent. *RSC Advances*, 6, pp. 74620
- De Strooper, B., & Annaert, W. (2000). Proteolytic processing and cell biological functions of the amyloid precursor protein. *Journal of Cell Science*, 113(11), pp. 1857-1870.
- Dehghan, G., & Khoshkam, Z. (2012). Tin (II)–quercetin complex: Synthesis, spectral characterisation and antioxidant activity. *Food Chemistry*, 131(2), pp. 422-426.
- Dhamecha, D., Jalalpure, S., & Jadhav, K. (2016). *Nepenthes khasiana* mediated synthesis of stabilized gold nanoparticles: characterization and biocompatibility studies. *Journal of Photochemistry and Photobiology B: Biology*, 154, pp. 108-117.
- Dhawan, K., Dhawan, S., & Sharma, A. (2004). Passiflora: a review update. *Journal of Ethnopharmacology*, 94(1), pp. 1-23.
- Di Guglielmo, C., López, D. R., De Lapuente, J., Mallafre, J. M. L., & Suárez, M. B. (2010). Embryotoxicity of cobalt ferrite and gold nanoparticles: a first *in vitro* approach. *Reproductive Toxicology*, 30(2), pp. 271-276.
- Di Meo, S., Reed, T. T., Venditti, P., & Victor, V. M. (2016). Role of ROS and RNS sources in physiological and pathological conditions. *Oxidative Medicine and Cellular Longevity*, 2016, pp. 1245049.

- dos Santos, T. C., Gomes, T. M., Pinto, B. A. S., Camara, A. L., & de Andrade Paes, A. M. (2018). Naturally Occurring Acetylcholinesterase Inhibitors and Their Potential Use for Alzheimer's Disease Therapy. *Frontiers in Pharmacology*, 9, pp. 1192.
- Dreaden, E. C., Austin, L. A., Mackey, M. A., & El-Sayed, M. A. (2012). Size matters: gold nanoparticles in targeted cancer drug delivery. *Therapeutic Delivery*, 3(4), pp. 457-478.
- Du, J., Zhou, Z., Zhang, X., Wu, S., Xiong, J., Wang, W., & Luo, Q. (2017). Biosynthesis of gold nanoparticles by flavonoids from *Lilium casa blanca*. *Journal of Cluster Science*, 28(6), pp. 3149-3158.
- Dubey, S. P., Dwivedi, A. D., Lahtinen, M., Lee, C., Kwon, Y-N. & Sillanpaa, M. (2013). Protocol for development of various plants leaves extract in single-pot synthesis of metal nanoparticles. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 103, pp. 134-142.
- Dubey, S. P., Lahtinen, M., & Sillanpää, M. (2010). Tansy fruit mediated greener synthesis of silver and gold nanoparticles. *Process Biochemistry*, 45(7), pp. 1065-1071.
- Dubois, B., Padovani, A., Scheltens, P., Rossi, A., & Dell'Agnello, G. (2016). Timely diagnosis for Alzheimer's disease: a literature review on benefits and challenges. *Journal of Alzheimer's Disease*, 49(3), pp. 617-631.
- Dudonne, S., Vitrac, X., Coutiere, P., Woillez, M., & Merillon, J.-M. (2009). Comparative study of antioxidant properties and total phenolic content of 30 plant extracts of industrial interest using DPPH, ABTS, FRAP, SOD, and ORAC assays. *Journal of Agricultural and Food Chemistry*, 57(5), pp. 1768-1774.
- Dwivedi, A. D., & Gopal, K. (2010). Biosynthesis of silver and gold nanoparticles using *Chenopodium album* leaf extract. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 369(1-3), pp. 27-33.
- Edgar, S. (2014). *Analysis of phenolics from Centella asiatica and Vernonia amygdalina and their role as antibacterial and antioxidant compounds*. University of Malaya: PhD Thesis.
- Egert, S., & Rimbach, G. (2011). Which sources of flavonoids: complex diets or dietary supplements? *Advances in Nutrition*, 2(1), pp. 8-14.

- Elbagory, A., Meyer, M., Cupido, C., & Hussein, A. (2017). Inhibition of bacteria associated with wound infection by biocompatible green synthesized gold nanoparticles from South African plant extracts. *Nanomaterials*, 7(12), pp. 417.
- Elia, P., Zach, R., Hazan, S., Kolusheva, S., Porat, Z. e., & Zeiri, Y. (2014). Green synthesis of gold nanoparticles using plant extracts as reducing agents. *International Journal of Nanomedicine*, 9, pp. 4007.
- Emam, M., El Raey, M. A., Eisa, W. H., El-Haddad, A. E., Osman, S. M., El-Ansari, M. A., & Rabie, A.-G. M. (2017). Green synthesis of silver nanoparticles from *Caesalpinia gilliesii* (Hook) leaves: antimicrobial activity and *in vitro* cytotoxic effect against BJ-1 and MCF-7 cells. *Journal of Applied. Pharmaceutical. Science*, 7, pp. 226-233.
- Evans, J. D. (1996). *Straightforward statistics for the behavioral sciences*: Thomson Brooks/Cole Publishing Co.
- Farlow, M. R., Miller, M. L., & Pejovic, V. (2008). Treatment options in Alzheimer's disease: maximizing benefit, managing expectations. *Dementia and Geriatric Cognitive Disorders*, 25(5), pp. 408-422.
- Fernandez, J. W., Rezai-Zadeh, K., Obregon, D., & Tan, J. (2010). EGCG functions through estrogen receptor-mediated activation of ADAM10 in the promotion of non-amyloidogenic processing of APP. *FEBS Letters*, 584(19), pp. 4259-4267.
- Ferrali, M., Signorini, C., Caciotti, B., Sugherini, L., Ciccoli, L., Giachetti, D., & Comporti, M. (1997). Protection against oxidative damage of erythrocyte membrane by the flavonoid quercetin and its relation to iron chelating activity. *FEBS Letters*, 416(2), pp. 123-129.
- Ferreira-Vieira, H. T., Guimaraes, M. I., Silva, R. F., & Ribeiro, M. F. (2016). Alzheimer's disease: targeting the cholinergic system. *Current Neuropharmacology*, 14(1), pp. 101-115.
- Ferrières, J. (2004). The French paradox: lessons for other countries. *Heart*, 90(1), pp. 107-111.
- Fillenbaum, G. G., van Belle, G., Morris, J. C., Mohs, R. C., Mirra, S. S., Davis, P. C., Tariot, P. N., Silverman, J. M., Clark, C. M., & Welsh-Bohmer, K. A. (2008).

- Consortium to Establish a Registry for Alzheimer's Disease (CERAD): the first twenty years. *Alzheimer's & Dementia*, 4(2), pp. 96-109.
- Firdouse, S., & Alam, P. (2011). Phytochemical investigation of extract of *Amorphophallus campanulatus* tubers. *International Journal of Phytomedicine*, 3(1), pp. 32.
- Folch, J., Petrov, D., Ettcheto, M., Pedros, I., Abad, S., Beas-Zarate, C., Lazarowski, A., Marin, M., Olloquequi, J., & Auladell, C. (2015). Masitinib for the treatment of mild to moderate Alzheimer's disease. *Expert Review of Neurotherapeutics*, 15(6), pp. 587-596.
- Fonseca-Santos, B., Gremião, M. P. D., & Chorilli, M. (2015). Nanotechnology-based drug delivery systems for the treatment of Alzheimer's disease. *International Journal of Nanomedicine*, 10, pp. 4981.
- Foo, Y., Periasamy, V., Kiew, L., Kumar, G., & Malek, S. (2017). *Curcuma mangga*-mediated synthesis of gold nanoparticles: Characterization, stability, cytotoxicity, and blood compatibility. *Nanomaterials*, 7(6), pp. 123.
- Franceschi, C., Garagnani, P., Morsiani, C., Conte, M., Santoro, A., Grignolio, A., Monti, D., Capri, M., & Salvioli, S. (2018). The continuum of aging and age-related diseases: common mechanisms but different rates. *Frontiers in Medicine*, 5, pp. 61.
- Frei, B., & Higdon, J. V. (2003). Antioxidant activity of tea polyphenols *in vivo*: evidence from animal studies. *The Journal of Nutrition*, 133(10), pp. 3275S-3284S.
- Freudenberg-Hua, Y., Li, W., & Davies, P. (2018). The role of genetics in advancing precision medicine for Alzheimer's disease—A narrative review. *Frontiers in Medicine*, 5, pp. 108.
- Fulop, T., Witkowski, J. M., Bourgade, K., Khalil, A., Zerif, E., Larbi, A., Hirokawa, K., Pawelec, G., Bock, C., & Lacombe, G. (2018). Can an infection hypothesis explain the beta amyloid hypothesis of Alzheimer's disease? *Frontiers in Aging Neuroscience*, 10, pp. 224.
- Ganeshkumar, M., Sathishkumar, M., Ponrasu, T., Dinesh, M. G., & Suguna, L. (2013). Spontaneous ultra fast synthesis of gold nanoparticles using *Punica granatum* for cancer targeted drug delivery. *Colloids and Surfaces B: Biointerfaces*, 106, pp. 208-216.

- Gao, C. M., Yam, A. Y., Wang, X., Magdangal, E., Salisbury, C., Peretz, D., Zuckermann, R. N., Connolly, M. D., Hansson, O., & Minthon, L. (2010). A β 40 oligomers identified as a potential biomarker for the diagnosis of Alzheimer's disease. *PloS one*, 5(12), pp. e15725.
- Gao, W., Xu, K., Ji, L., & Tang, B. (2011). Effect of gold nanoparticles on glutathione depletion-induced hydrogen peroxide generation and apoptosis in HL7702 cells. *Toxicology Letters*, 205(1), pp. 86-95.
- Garibotto, V., Tettamanti, M., Marcone, A., Florea, I., Panzacchi, A., Moresco, R., Virta, J. R., Rinne, J., Cappa, S. F., & Perani, D. (2013). Cholinergic activity correlates with reserve proxies in Alzheimer's disease. *Neurobiology of Aging*, 34(11), pp. 2694. e13-8.
- George, M., & Joseph, L. (2009). Anti-allergic, anti-pruritic, and anti-inflammatory activities of *Centella asiatica* extracts. *African Journal of Traditional, Complementary and Alternative Medicines*, 6(4), pp. 554-559.
- Geula, C., & Darvesh, S. (2004). Butyrylcholinesterase, cholinergic neurotransmission and the pathology of Alzheimer's disease. *Drugs of Today*, 40(8), pp. 711-721.
- Geula, C., & Mesulam, M.-M. (1996). Systematic regional variations in the loss of cortical cholinergic fibers in Alzheimer's disease. *Cerebral Cortex*, 6(2), pp. 165-177.
- Geun Kim, H., & Sook Oh, M. (2012). Herbal medicines for the prevention and treatment of Alzheimer's disease. *Current Pharmaceutical Design*, 18(1), pp. 57-75.
- Ghosh, S., Patil, S., Ahire, M., Kitture, R., Gurav, D. D., Jabgunde, A. M., Kale, S., Pardesi, K., Shinde, V., & Bellare, J. (2012). *Gnidia glauca* flower extract mediated synthesis of gold nanoparticles and evaluation of its chemocatalytic potential. *Journal of Nanobiotechnology*, 10(1), pp. 17.
- Gil-Bea, F. J., García-Alloza, M., Domínguez, J., Marcos, B., & Ramírez, M. J. (2005). Evaluation of cholinergic markers in Alzheimer's disease and in a model of cholinergic deficit. *Neuroscience Letters*, 375(1), pp. 37-41.
- Gilbertson, L. M., Zimmerman, J. B., Plata, D. L., Hutchison, J. E., & Anastas, P. T. (2015). Designing nanomaterials to maximize performance and minimize undesirable implications guided by the Principles of Green Chemistry. *Chemical Society Reviews*, 44(16), pp. 5758-5777.

- Gildawie, K. R., Galli, R. L., Shukitt-Hale, B., & Carey, A. N. (2018). Protective effects of foods containing flavonoids on age-related cognitive decline. *Current Nutrition Reports*, 7(2), pp. 39-48.
- Gohil, K. J., Patel, J. A., & Gajjar, A. K. (2010). Pharmacological review on *Centella asiatica*: a potential herbal cure-all. *Indian Journal of Pharmaceutical Sciences*, 72(5), pp. 546.
- Gok, D. K., Hidisoglu, E., Ocak, G. A., Er, H., Acun, A. D., & Yargıoglu, P. (2018). Protective role of rosmarinic acid on amyloid beta 42-induced echoic memory decline: Implication of oxidative stress and cholinergic impairment. *Neurochemistry International*, 118, pp. 1-13.
- Gomaa, E. Z. (2017). Antimicrobial, antioxidant and antitumor activities of silver nanoparticles synthesized by *Allium cepa* extract: a green approach. *Journal of Genetic Engineering and Biotechnology*, 15(1), pp. 49-57.
- Gonzalez-Fuentes, J., Selva, J., Moya, C., Castro-Vázquez, L., Lozano, M. V., Marcos, P., Plaza-Oliver, M., Rodríguez-Robledo, V., Santander-Ortega, M. J., & Villaseca-González, N. (2018). Neuroprotective Natural Molecules, From Food to Brain. *Frontiers in Neuroscience*, 12, pp. 721.
- Gooding, J. J., Alam, M. T., Barfidokht, A., & Carter, L. (2014). Nanoparticle mediated electron transfer across organic layers: from current understanding to applications. *Journal of the Brazilian Chemical Society*, 25(3), pp. 418-426.
- Gopinath, K., Gowri, S., Karthika, V., & Arumugam, A. (2014). Green synthesis of gold nanoparticles from fruit extract of *Terminalia arjuna*, for the enhanced seed germination activity of *Gloriosa superba*. *Journal of Nanostructure in Chemistry*, 4(3), pp. 115.
- Gouveia-Figueira, S., Gouveia, C., Carvalho, M., Rodrigues, A., Nording, M., & Castilho, P. (2014). Antioxidant capacity, cytotoxicity and antimycobacterial activity of Madeira Archipelago endemic *Helichrysum* dietary and medicinal plants. *Antioxidants*, 3(4), pp. 713-729.
- Gray, N. E., Magana, A. A., Lak, P., Wright, K. M., Quinn, J., Stevens, J. F., Maier, C. S., & Soumyanath, A. (2018). *Centella asiatica*: phytochemistry and mechanisms of neuroprotection and cognitive enhancement. *Phytochemistry Reviews*, 17(1), pp. 161-194.

- Guo, A. J., Xie, H. Q., Choi, R. C., Zheng, K. Y., Bi, C. W., Xu, S. L., Dong, T. T., & Tsim, K. W. (2010). Galangin, a flavonol derived from *Rhizoma alpiniae officinarum*, inhibits acetylcholinesterase activity *in vitro*. *Chemico-Biological Interactions*, 187(1-3), pp. 246-248.
- Guo, C., Sun, L., Chen, X., & Zhang, D. (2013). Oxidative stress, mitochondrial damage and neurodegenerative diseases. *Neural Regeneration Research*, 8(21), pp. 2003.
- Guo, Q., Guo, Q., Yuan, J., & Zeng, J. (2014). Biosynthesis of gold nanoparticles using a kind of flavonol: Dihydromyricetin. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 441, pp. 127-132.
- Guo, T., Noble, W., & Hanger, D. P. (2017). Roles of tau protein in health and disease. *Acta Neuropathologica*, 133(5), pp. 665-704.
- Haass, C., Kaether, C., Thinakaran, G., & Sisodia, S. (2012). Trafficking and proteolytic processing of APP. *Cold Spring Harbor Perspectives in Medicine*, 2(5), pp. a006270.
- Hadavi, D., & Poot, A. A. (2016). Biomaterials for the treatment of Alzheimer's disease. *Frontiers in Bioengineering and Biotechnology*, 4, pp. 49.
- Hafttek, M., Mac- Mary, S., Bitoux, M. A. L., Creidi, P., Seit  , S., Rougier, A., & Humbert, P. (2008). Clinical, biometric and structural evaluation of the long-term effects of a topical treatment with ascorbic acid and madecassoside in photoaged human skin. *Experimental Dermatology*, 17(11), pp. 946-952.
- Halevas, E., Nday, C., & Salifoglou, A. (2016). Hybrid catechin silica nanoparticle influence on Cu (II) toxicity and morphological lesions in primary neuronal cells. *Journal of Inorganic Biochemistry*, 163, pp. 240-249.
- Halliwell, B., & Gutteridge, J. M. (2015). *Free radicals in biology and medicine*: Oxford University Press, USA.
- Hamid, A. A., Shah, Z. M., Muse, R., & Mohamed, S. (2002). Characterisation of antioxidative activities of various extracts of *Centella asiatica* (L) Urban. *Food Chemistry*, 77(4), pp. 465-469.
- Hampel, H., Mesulam, M.-M., Cuello, A. C., Farlow, M. R., Giacobini, E., Grossberg, G. T., Khachaturian, A. S., Vergallo, A., Cavedo, E., & Snyder, P. J. (2018). The cholinergic system in the pathophysiology and treatment of Alzheimer's disease. *Brain*, 141(7), pp. 1917-1933.

- Hanasaki, Y., Ogawa, S., & Fukui, S. (1994). The correlation between active oxygens scavenging and antioxidative effects of flavonoids. *Free Radical Biology and Medicine*, 16(6), pp. 845-850.
- Hane, F. T., Robinson, M., Lee, B. Y., Bai, O., Leonenko, Z., & Albert, M. S. (2017). Recent progress in Alzheimer's disease research, part 3: diagnosis and treatment. *Journal of Alzheimer's Disease*, 57(3), pp. 645-665.
- Hanisa, H., Mohdazmi, M., Suhaila, M., & Hakim, M. (2014). Effects of centella asiatica l., curcuma longa l., and Strobilanthes crispus l. extracts on 3 kidney cell lines: *in vitro* cytotoxicity analysis. *International Journal of Pharmacy and Pharmaceutical Sciences*, 6 (suppl. 2), pp. 388-392.
- Haque, A. M., Hashimoto, M., Katakura, M., Tanabe, Y., Hara, Y., & Shido, O. (2006). Long-term administration of green tea catechins improves spatial cognition learning ability in rats. *The Journal of Nutrition*, 136(4), pp. 1043-1047.
- Hardy, J., & Selkoe, D. J. (2002). The amyloid hypothesis of Alzheimer's disease: progress and problems on the road to therapeutics. *Science*, 297(5580), pp. 353-356.
- Hartman, R. E., Shah, A., Fagan, A. M., Schwetye, K. E., Parsadanian, M., Schulman, R. N., Finn, M. B., & Holtzman, D. M. (2006). Pomegranate juice decreases amyloid load and improves behavior in a mouse model of Alzheimer's disease. *Neurobiology of Disease*, 24(3), pp. 506-515.
- Hashim, P., Sidek, H., Helan, M., Sabery, A., Palanisamy, U. D., & Ilham, M. (2011). Triterpene composition and bioactivities of *Centella asiatica*. *Molecules*, 16(2), pp. 1310-1322.
- Hassan, A., Hawa, S., Bakar, A., & Fadzelly, M. (2013). Antioxidative and anticholinesterase activity of *Cyphomandra betacea* fruit. *The Scientific World Journal*, 2013, pp. 278071.
- He, X., Park, H. M., Hyung, S.-J., DeToma, A. S., Kim, C., Ruotolo, B. T., & Lim, M. H. (2012). Exploring the reactivity of flavonoid compounds with metal-associated amyloid- β species. *Dalton Transactions*, 41(21), pp. 6558-6566.
- He, Y., Wei, F., Ma, Z., Zhang, H., Yang, Q., Yao, B., Huang, Z., Li, J., Zeng, C., & Zhang, Q. (2017). Green synthesis of silver nanoparticles using seed extract of

- Alpinia katsumadai*, and their antioxidant, cytotoxicity, and antibacterial activities. *RSC Advances*, 7(63), pp. 39842-39851.
- Hedrick, V. E., Dietrich, A. M., Estabrooks, P. A., Savla, J., Serrano, E., & Davy, B. M. (2012). Dietary biomarkers: advances, limitations and future directions. *Nutrition Journal*, 11(1), pp. 109.
- Heim, K. E., Tagliaferro, A. R., & Bobilya, D. J. (2002). Flavonoid antioxidants: chemistry, metabolism and structure-activity relationships. *The Journal of Nutritional Biochemistry*, 13(10), pp. 572-584.
- Heo, H. J., Kim, D.-O., Choi, S. J., Shin, D. H., & Lee, C. Y. (2004). Potent inhibitory effect of flavonoids in *Scutellaria baicalensis* on amyloid β protein-induced neurotoxicity. *Journal of Agricultural and Food Chemistry*, 52(13), pp. 4128-4132.
- Heo, H. J., Kim, D.-O., Shin, S. C., Kim, M. J., Kim, B. G., & Shin, D.-H. (2004). Effect of antioxidant flavanone, naringenin, from *Citrus junos* on neuroprotection. *Journal of Agricultural and food Chemistry*, 52(6), pp. 1520-1525.
- Heo, H. J., Kim, M.-J., Lee, J.-M., Choi, S. J., Cho, H.-Y., Hong, B., Kim, H.-K., Kim, E., & Shin, D.-H. (2004). Naringenin from *Citrus junos* has an inhibitory effect on acetylcholinesterase and a mitigating effect on amnesia. *Dementia and Geriatric Cognitive Disorders*, 17(3), pp. 151-157.
- Heong, C. S., Bhupinder, K., Huda, N., Karim, A. A., & Fazilan, A. (2011). Effect of fermentation on the composition of *Centella asiatica* teas. *American Journal of Food Technology*, 6(7), pp. 581-593.
- Hertog, M. G., Feskens, E. J., Kromhout, D., Hollman, P., & Katan, M. (1993). Dietary antioxidant flavonoids and risk of coronary heart disease: the Zutphen Elderly Study. *The Lancet*, 342(8878), pp. 1007-1011.
- Hirano, R., Sasamoto, W., Matsumoto, A., Itakura, H., Igarashi, O., & Kondo, K. (2001). Antioxidant ability of various flavonoids against DPPH radicals and LDL oxidation. *Journal of Nutritional Science and Vitaminology*, 47(5), pp. 357-362.
- Hoffman, J. R., Donato, A., & Robbins, S. J. (2004). *Ginkgo biloba* promotes short-term retention of spatial memory in rats. *Pharmacology Biochemistry and Behavior*, 77(3), pp. 533-539.

- Hölscher, C. (2014). New drug treatments show neuroprotective effects in Alzheimer's and Parkinson's diseases. *Neural Regeneration Research*, 9(21), pp. 1870.
- Honary, S., & Zahir, F. (2013). Effect of zeta potential on the properties of nano-drug delivery systems-a review (Part 1). *Tropical Journal of Pharmaceutical Research*, 12(2), pp. 255-264.
- Huang, J., Li, Q., Sun, D., Lu, Y., Su, Y., Yang, X., Wang, H., Wang, Y., Shao, W., & He, N. (2007). Biosynthesis of silver and gold nanoparticles by novel sundried *Cinnamomum camphora* leaf. *Nanotechnology*, 18(10), pp. 105104.
- Huang, W. J., Zhang, X., & Chen, W. W. (2016). Role of oxidative stress in Alzheimer's disease. *Biomedical Reports*, 4(5), pp. 519-522.
- Huda-Faujan, N., Noriham, A., Norrakiah, A., & Babji, A. S. (2007). Antioxidative activities of water extracts of some Malaysian herbs. *ASEAN Food Journal*, 14(1), pp. 61-68.
- Hunsberger, J. G., Rao, M., Kurtzberg, J., Bulte, J. W., Atala, A., LaFerla, F. M., Greely, H. T., Sawa, A., Gandy, S., & Schneider, L. S. (2016). Accelerating stem cell trials for Alzheimer's disease. *The Lancet Neurology*, 15(2), pp. 219-230.
- Hussain, G., Zhang, L., Rasul, A., Anwar, H., Sohail, M., Razzaq, A., Aziz, N., Shabbir, A., Ali, M., & Sun, T. (2018). Role of plant-derived flavonoids and their mechanism in attenuation of Alzheimer's and Parkinson's diseases: an update of recent data. *Molecules*, 23(4), pp. 814.
- Hussain, I., Singh, N., Singh, A., Singh, H., & Singh, S. (2016). Green synthesis of nanoparticles and its potential application. *Biotechnology Letters*, 38(4), pp. 545-560.
- Hussin, F., Eshkoor, S. A., Rahmat, A., Othman, F., & Akim, A. (2014). The *Centella asiatica* juice effects on DNA damage, apoptosis and gene expression in hepatocellular carcinoma (HCC). *BMC Complementary and Alternative Medicine*, 14(1), pp. 32.
- Hyman, B. T., Phelps, C. H., Beach, T. G., Bigio, E. H., Cairns, N. J., Carrillo, M. C., Dickson, D. W., Duyckaerts, C., Frosch, M. P., & Masliah, E. (2012). National Institute on Aging–Alzheimer's Association guidelines for the neuropathologic assessment of Alzheimer's disease. *Alzheimer's & Dementia*, 8(1), pp. 1-13.

- Inestrosa, N. C., Alvarez, A., Perez, C. A., Moreno, R. D., Vicente, M., Linker, C., Casanueva, O. I., Soto, C., & Garrido, J. (1996). Acetylcholinesterase accelerates assembly of amyloid- β -peptides into Alzheimer's fibrils: possible role of the peripheral site of the enzyme. *Neuron*, 16(4), pp. 881-891.
- Iqbal, K., Liu, F., Gong, C.-X., & Grundke-Iqbal, I. (2010). Tau in Alzheimer disease and related tauopathies. *Current Alzheimer Research*, 7(8), pp. 656-664.
- Iravani, S., Thota, S., & Crans, D. (2018). Methods for preparation of metal nanoparticles. *Metal Nanoparticles: Synthesis and Applications in Pharmaceutical Sciences*, pp. 15-32.
- Irfan, M., Ahmad, T., Moniruzzaman, M., & Abdullah, B. (2017). Effect of pH on ionic liquid mediated synthesis of gold nanoparticle using elaiseguineensis (palm oil) kernel extract. *IOP Conference Series: Materials Science and Engineering*. IOP Publishing. pp. 012002
- Jafarizad, A., Safaee, K., Vahid, B., Khataee, A., & Ekinici, D. (2018). Synthesis and characterization of gold nanoparticles using *Hypericum perforatum* and Nettle aqueous extracts: A comparison with turkevich method. *Environmental Progress & Sustainable Energy*, 38 (2), pp. 508-517.
- Jain, S., & Mehata, M. S. (2017). Medicinal plant leaf extract and pure flavonoid mediated green synthesis of silver nanoparticles and their enhanced antibacterial property. *Scientific Reports*, 7(1), pp. 15867.
- James, J., & Dubery, I. (2009). Pentacyclic triterpenoids from the medicinal herb, *Centella asiatica* (L.) Urban. *Molecules*, 14(10), pp. 3922-3941.
- Jamil, S. S., Nizami, Q., & Salam, M. (2007). *Centella asiatica* (Linn.) Urban—a review. *Natural Products Radiance*, 6(2), pp. 158-170.
- Jan, S., Khan, M. R., Rashid, U., & Bokhari, J. (2013). Assessment of antioxidant potential, total phenolics and flavonoids of different solvent fractions of *Monothea buxifolia* fruit. *Osong Public Health and Research Perspectives*, 4(5), pp. 246-254.
- Jara-Palacios, M. J., Hernanz, D., Escudero-Gilete, M. L. & Heredia, F. J. (2016). The use of grapeseed byproducts rich in flavonoids to improve the antioxidant potential of red wines. *Molecules*, 21 (11), pp. 1526.
- Jayaprakash, N., Vijaya, J. J., Kaviyarasu, K., Kombaiiah, K., Kennedy, L. J., Ramalingam, R. J., Munusamy, M. A., & Al-Lohedan, H. A. (2017). Green

- synthesis of Ag nanoparticles using Tamarind fruit extract for the antibacterial studies. *Journal of Photochemistry and Photobiology B: Biology*, 169, pp. 178-185.
- Jayaseelan, C., Ramkumar, R., Rahuman, A. A., & Perumal, P. (2013). Green synthesis of gold nanoparticles using seed aqueous extract of *Abelmoschus esculentus* and its antifungal activity. *Industrial Crops and Products*, 45, pp. 423-429.
- Jayathilake, C., Rizliya, V., & Liyanage, R. (2016). Antioxidant and free radical scavenging capacity of extensively used medicinal plants in Sri Lanka. *Procedia Food Science*, 6, pp. 123-126.
- Jayathirtha, M., & Mishra, S. (2004). Preliminary immunomodulatory activities of methanol extracts of *Eclipta alba* and *Centella asiatica*. *Phytomedicine*, 11(4), pp. 361-365.
- Jia, Y., Wang, N., & Liu, X. (2017). Resveratrol and amyloid-beta: Mechanistic insights. *Nutrients*, 9(10), pp. 1122.
- Jin, C. H., Shin, E. J., Park, J. B., Jang, C. G., Li, Z., Kim, M. S., Koo, K. H., Yoon, H. J., Park, S. J., & Choi, W. C. (2009). Fustin flavonoid attenuates β -amyloid (1-42)-induced learning impairment. *Journal of Neuroscience Research*, 87(16), pp. 3658-3670.
- Joseph, J. A., Shukitt-Hale, B., & Casadesus, G. (2005). Reversing the deleterious effects of aging on neuronal communication and behavior: beneficial properties of fruit polyphenolic compounds. *The American Journal of Clinical Nutrition*, 81(1), pp. 313S-316S.
- Joseph, J. A., Shukitt-Hale, B., Denisova, N., Prior, R., Cao, G., Martin, A., Taghialatela, G., & Bickford, P. (1998). Long-term dietary strawberry, spinach, or vitamin E supplementation retards the onset of age-related neuronal signal-transduction and cognitive behavioral deficits. *Journal of Neuroscience*, 18(19), pp. 8047-8055.
- Joseph, J. A., Shukitt-Hale, B., Denisova, N. A., Bielinski, D., Martin, A., McEwen, J. J., & Bickford, P. C. (1999). Reversals of age-related declines in neuronal signal transduction, cognitive, and motor behavioral deficits with blueberry, spinach, or strawberry dietary supplementation. *Journal of Neuroscience*, 19(18), pp. 8114-8121.

- Jovanovic, S. V., Hara, Y., Steenken, S., & Simic, M. G. (1997). Antioxidant potential of theaflavins. A pulse radiolysis study. *Journal of the American Chemical Society*, 119(23), pp. 5337-5343.
- Jovanovic, S. V., Steenken, S., Hara, Y., & Simic, M. G. (1996). Reduction potentials of flavonoid and model phenoxyl radicals. Which ring in flavonoids is responsible for antioxidant activity? *Journal of the Chemical Society, Perkin Transactions 2*(11), pp. 2497-2504.
- Joy, J., & Nair, C. K. K. (2009). Protection of DNA and membranes from gamma-radiation induced damages by *Centella asiatica*. *Journal of Pharmacy and Pharmacology*, 61(7), pp. 941-947.
- Julien, C., Tomberlin, C., Roberts, C. M., Akram, A., Stein, G. H., Silverman, M. A., & Link, C. D. (2018). *In vivo* induction of membrane damage by β -amyloid peptide oligomers. *Acta Neuropathologica Communications*, 6(1), pp. 131.
- Jun, S., Shin, S., & Joung, H. (2016). Estimation of dietary flavonoid intake and major food sources of Korean adults. *British Journal of Nutrition*, 115(3), pp. 480-489.
- Jung, M., & Park, M. (2007). Acetylcholinesterase inhibition by flavonoids from *Agrimonia pilosa*. *Molecules*, 12(9), pp. 2130-2139.
- Kabir, A. U., Samad, M. B., D'Costa, N. M., Akhter, F., Ahmed, A., & Hannan, J. M. A. (2014). Anti-hyperglycemic activity of *Centella asiatica* is partly mediated by carbohydrase inhibition and glucose-fiber binding. *BMC Complementary and Alternative Medicine*, 14(1), pp. 31.
- Kalaria, R. N. (2016). Neuropathological diagnosis of vascular cognitive impairment and vascular dementia with implications for Alzheimer's disease. *Acta Neuropathologica*, 131(5), pp. 659-685.
- Kar, S., Slowikowski, S. P., Westaway, D., & Mount, H. T. (2004). Interactions between β -amyloid and central cholinergic neurons: implications for Alzheimer's disease. *Journal of Psychiatry & Neuroscience*, 29 (6), pp. 427-441.
- Karthik, L., Kumar, G., Keswani, T., Bhattacharyya, A., Reddy, B. P., & Rao, K. B. (2013). Marine actinobacterial mediated gold nanoparticles synthesis and their antimalarial activity. *Nanomedicine: Nanotechnology, Biology and Medicine*, 9(7), pp. 951-960.

- Karthivashan, G., Ganesan, P., Park, S.-Y., Kim, J.-S., & Choi, D.-K. (2018). Therapeutic strategies and nano-drug delivery applications in management of ageing Alzheimer's disease. *Drug Delivery*, 25(1), pp. 307-320.
- Kasthuri, J., Veerapandian, S., & Rajendiran, N. (2009). Biological synthesis of silver and gold nanoparticles using apiin as reducing agent. *Colloids and Surfaces B: Biointerfaces*, 68(1), pp. 55-60.
- Katalini, M., Bosak, A., & Kovarik, Z. (2014). Flavonoids as inhibitors of human butyrylcholinesterase variants. *Food Technology and Biotechnology*, 52(1), pp. 64.
- Katırcı, N., Işık, N., Güpür, Ç., Guler, H. O., Gursoy, O., & Yilmaz, Y. (2018). Differences in antioxidant activity, total phenolic and flavonoid contents of commercial and homemade tomato pastes. *Journal of the Saudi Society of Agricultural Sciences*, doi.org/10.1016/j.jssas.2018.11.003.
- Kaur, I., Suthar, N., Kaur, J., Bansal, Y., & Bansal, G. (2016). Accelerated stability studies on dried extracts of *Centella asiatica* through chemical, HPLC, HPTLC, and biological activity analyses. *Journal of Evidence-Based Complementary & Alternative Medicine*, 21(4), pp. NP127-NP137.
- Kelleher, R. J., & Shen, J. (2017). Presenilin-1 mutations and Alzheimer's disease. *Proceedings of the National Academy of Sciences*, 114(4), pp. 629-631.
- Kerry, N. L., & Abbey, M. (1997). Red wine and fractionated phenolic compounds prepared from red wine inhibit low density lipoprotein oxidation *in vitro*. *Atherosclerosis*, 135(1), pp. 93-102.
- Kesarla, M. K., Mandal, B. K., & Bandapalli, P. R. (2014). Gold nanoparticles by *Terminalia bellirica* aqueous extract—a rapid green method. *Journal of Experimental Nanoscience*, 9(8), pp. 825-830.
- Khalil, M. M., Ismail, E. H., & El-Magdoub, F. (2012). Biosynthesis of Au nanoparticles using olive leaf extract: 1st nano updates. *Arabian Journal of Chemistry*, 5(4), pp. 431-437.
- Khan, F. A., Zahoor, M., Jalal, A., & Rahman, A. U. (2016). Green Synthesis of Silver Nanoparticles by Using *Ziziphus nummularia* Leaves Aqueous Extract and Their Biological Activities. *Journal of Nanomaterials*, 2016, pp. 21.

- Khan, H., Amin, S., Kamal, M. A., & Patel, S. (2018). Flavonoids as acetylcholinesterase inhibitors: Current therapeutic standing and future prospects. *Biomedicine & Pharmacotherapy*, 101, pp. 860-870.
- Khan, I., Saeed, K., & Khan, I. (2017). Nanoparticles: Properties, applications and toxicities. *Arabian Journal of Chemistry*, doi.org/10.1016/j.arabjc.2017.05.011.
- Khan, M. K., & Dangles, O. (2014). A comprehensive review on flavanones, the major citrus polyphenols. *Journal of Food Composition and Analysis*, 33(1), pp. 85-104.
- Kharissova, O. V., Dias, H. V. R., Kharisov, B. I., Pérez, B. O. & Pérez, V. M. J. (2013). The greener synthesis of nanoparticles. *Trends in Biotechnology*, 31(4), pp. 240–248.
- Khodadadi, B., Bordbar, M., & Nasrollahzadeh, M. (2017). Green synthesis of Pd nanoparticles at Apricot kernel shell substrate using *Salvia hydrangea* extract: catalytic activity for reduction of organic dyes. *Journal of Colloid and Interface Science*, 490, pp. 1-10.
- Khoo, H. E., Azlan, A., Tang, S. T., & Lim, S. M. (2017). Anthocyanidins and anthocyanins: colored pigments as food, pharmaceutical ingredients, and the potential health benefits. *Food & Nutrition Research*, 61(1), pp. 1361779.
- Khoury, R., Patel, K., Gold, J., Hinds, S., & Grossberg, G. T. (2017). Recent progress in the pharmacotherapy of Alzheimer's disease. *Drugs & Aging*, 34(11), pp. 811-820.
- Kim, D., & Tsai, L.-H. (2009). Bridging physiology and pathology in AD. *Cell*, 137(6), pp. 997-1000.
- Kim, G. H., Kim, J. E., Rhie, S. J., & Yoon, S. (2015). The role of oxidative stress in neurodegenerative diseases. *Experimental Neurobiology*, 24(4), pp. 325-340.
- Kim, J., Ahn, S. I., & Kim, Y. (2019). Nanotherapeutics Engineered to Cross the Blood-Brain Barrier for Advanced Drug Delivery to the Central Nervous System. *Journal of Industrial and Engineering Chemistry*, 73, pp. 8-18.
- Kim, J. Y., Lee, W. S., Kim, Y. S., Curtis-Long, M. J., Lee, B. W., Ryu, Y. B., & Park, K. H. (2011). Isolation of cholinesterase-inhibiting flavonoids from *Morus lhou*. *Journal of Agricultural and Food Chemistry*, 59(9), pp. 4589-4596.

- Kim, Y. J., Cha, H. J., Nam, K. H., Yoon, Y., Lee, H., & An, S. (2011). *Centella asiatica* extracts modulate hydrogen peroxide- induced senescence in human dermal fibroblasts. *Experimental Dermatology*, 20(12), pp. 998-1003.
- Kinney, J. W., Bemiller, S. M., Murtishaw, A. S., Leisgang, A. M., & Lamb, B. T. (2018). Inflammation as a central mechanism in Alzheimer's disease. *Alzheimer's & Dementia: Translational Research & Clinical Interventions*, 4, pp. 575-590.
- Kitching, M., Choudhary, P., Inguva, S., Guo, Y., Ramani, M., Das, S. K., & Marsili, E. (2016). Fungal surface protein mediated one-pot synthesis of stable and hemocompatible gold nanoparticles. *Enzyme and Microbial Technology*, 95, pp. 76-84.
- Knight, R., Khondoker, M., Magill, N., Stewart, R., & Landau, S. (2018). A systematic review and meta-analysis of the effectiveness of acetylcholinesterase inhibitors and memantine in treating the cognitive symptoms of dementia. *Dementia and Geriatric Cognitive Disorders*, 45(3-4), pp. 131-151.
- Koirala, N., Thuan, N. H., Ghimire, G. P., Van Thang, D., & Sohng, J. K. (2016). Methylation of flavonoids: Chemical structures, bioactivities, progress and perspectives for biotechnological production. *Enzyme and Microbial Technology*, 86, pp. 103-116.
- Kolak, U., H, I., Öztürk, M., Özgökçe, F., Topçu, G., & Ulubelen, A. (2009). Antioxidant and anticholinesterase constituents of *Salvia pocalata*. *Turkish Journal of Chemistry*, 33(6), pp. 813-823.
- Korolev, I. O. (2014). Alzheimer's disease: a clinical and basic science review. *Medical Student Research Journal*, 4, pp. 24-33.
- Koziara, J., Lockman, P., Allen, D., & Mumper, R. (2006). The blood-brain barrier and brain drug delivery. *Journal of Nanoscience and Nanotechnology*, 6(9-10), pp. 2712-2735.
- Ku, K. M., Kim, H. S., Kim, S. K., & Kang, Y.-H. (2014). Correlation analysis between antioxidant activity and phytochemicals in Korean colored corns using principal component analysis. *Journal of Agricultural Science*, 6(4), pp. 1.
- Kulkarni, N., & Muddapur, U. (2014). Biosynthesis of metal nanoparticles: a review. *Journal of Nanotechnology*, 2014, pp. 510246.

- Kumar, A., Dogra, S., & Prakash, A. (2009). Neuroprotective effects of *Centella asiatica* against intracerebroventricular colchicine-induced cognitive impairment and oxidative stress. *International Journal of Alzheimer's disease*, 2009, pp. 972178.
- Kumar, A., Prakash, A., & Dogra, S. (2011). *Centella asiatica* attenuates D-galactose-induced cognitive impairment, oxidative and mitochondrial dysfunction in mice. *International Journal of Alzheimer's Disease*, 2011, pp. 347569.
- Kumar, B., Smita, K., Cumbal, L., & Debut, A. (2017). Green synthesis of silver nanoparticles using *Andean blackberry* fruit extract. *Saudi Journal of Biological Sciences*, 24(1), pp. 45-50.
- Kumar, I., Mondal, M., & Sakthivel, N. (2019). Green synthesis of phytogenic nanoparticles. in Shukla, A. & Iravani, S. (Eds.). *Green Synthesis, Characterization and Applications of Nanoparticles*. USA: Elsevier. pp. 37-73.
- Kumar, S., & Pandey, A. K. (2013). Chemistry and biological activities of flavonoids: an overview. *The Scientific World Journal*, 2013, pp. 162750.
- Kumar, V., & Yadav, S. K. (2009). Plant-mediated synthesis of silver and gold nanoparticles and their applications. *Journal of Chemical Technology & Biotechnology*, 84(2), pp. 151-157.
- Kumar, V., & Yadav, S. K. (2011). Synthesis of stable, polyshaped silver, and gold nanoparticles using leaf extract of *Lonicera japonica* L. *International Journal of Green Nanotechnology*, 3(4), pp. 281-291.
- Kumari, M., Mishra, A., Pandey, S., Singh, S. P., Chaudhry, V., Mudiam, M. K. R., Shukla, S., Kakkar, P., & Nautiyal, C. S. (2016). Physico-chemical condition optimization during biosynthesis lead to development of improved and catalytically efficient gold nano particles. *Scientific Reports*, 6, pp. 27575.
- Kuppusamy, P., Yusoff, M. M., Maniam, G. P., & Govindan, N. (2016). Biosynthesis of metallic nanoparticles using plant derivatives and their new avenues in pharmacological applications—An updated report. *Saudi Pharmaceutical Journal*, 24(4), pp. 473-484.
- Kwon, M. C., Choi, W. Y., Seo, Y. C., Kim, J. S., Yoon, C. S., Lim, H. W., Kim, H. S., hee Ahn, J., & Lee, H. Y. (2012). Enhancement of the skin-protective

- activities of *Centella asiatica* L. Urban by a nano-encapsulation process. *Journal of Biotechnology*, 157(1), pp. 100-106.
- Lachman, J., Šulc, M., & Schilla, M. (2007). Comparison of the total antioxidant status of Bohemian wines during the wine-making process. *Food Chemistry*, 103(3), pp. 802-807.
- Lan, S., Lin, J., & Zheng, N. (2014). Evaluation of the antioxidant activity of *Coreopsis tinctoria* Nuff. and optimisation of isolation by response surface methodology. *Acta Pharmaceutica*, 64(3), pp. 369-378.
- Langille, M. R., Personick, M. L., Zhang, J., & Mirkin, C. A. (2012). Defining rules for the shape evolution of gold nanoparticles. *Journal of the American Chemical Society*, 134(35), pp. 14542-14554.
- Lashley, T., Schott, J. M., Weston, P., Murray, C. E., Wellington, H., Keshavan, A., Foti, S. C., Foiani, M., Toombs, J., & Rohrer, J. D. (2018). Molecular biomarkers of Alzheimer's disease: progress and prospects. *Disease Models & Mechanisms*, 11(5), pp. dmm031781.
- Latif, M. S., Kormin, F., Mustafa, M. K., Mohamad, I. I., Khan, M., Abbas, S., Ghazali, M. I., Shafie, N. S., Bakar, M. F. A., & Sabran, S. F. (2018). Effect of temperature on the synthesis of *Centella asiatica* flavonoids extract-mediated gold nanoparticles: UV-visible spectra analyses. *AIP Conference Proceedings*. Penang, Malaysia: AIP Publishing. pp. 020071.
- Lee, K. X., Shameli, K., Miyake, M., Kuwano, N., Khairudin, B. A., Bahiyah, N., Mohamad, B., Eva, S., & Yew, Y. P. (2016). Green synthesis of gold nanoparticles using aqueous extract of *Garcinia mangostana* fruit peels. *Journal of Nanomaterials*, 2016, pp. 8489094.
- Lee, M. R., Ma, J. Y., & Sung, C. K. (2017). Chronic dietary ginseng extract administration ameliorates antioxidant and cholinergic systems in the brains of aged mice. *Journal of Ginseng Research*, 41(4), pp. 615-619.
- Li, C., Li, D., Wan, G., Xu, J., & Hou, W. (2011). Facile synthesis of concentrated gold nanoparticles with low size-distribution in water: temperature and pH controls. *Nanoscale Research Letters*, 6(1), pp. 440.
- Li, X., Wang, L., Fan, Y., Feng, Q., & Cui, F. Z. (2012). Biocompatibility and toxicity of nanoparticles and nanotubes. *Journal of Nanomaterials*, 2012, pp. 6.

- Li, Y., Duan, X., Qian, Y., Li, Y. & Liao, H. (1999). Nanocrystalline silver particles: synthesis, agglomeration, and sputtering induced by electron beam. *Journal of Colloid Interface Science*, 209, pp. 347-349.
- Li, Y., Li, Y., Li, Q., Fan, X., Gao, J., & Luo, Y. (2016). Rapid biosynthesis of gold nanoparticles by the extracellular secretion of *Bacillus niabensis* 45: characterization and antibiofilm activity. *Journal of Chemistry*, 2016, pp. 2781347.
- Liaquat, L., Batool, Z., Sadir, S., Rafiq, S., Shahzad, S., Perveen, T., & Haider, S. (2018). Naringenin-induced enhanced antioxidant defence system meliorates cholinergic neurotransmission and consolidates memory in male rats. *Life Sciences*, 194, pp. 213-223.
- Libralato, G., Prato, E., Migliore, L., Cicero, A., & Manfra, L. (2016). A review of toxicity testing protocols and endpoints with *Artemia* spp. *Ecological Indicators*, 69, pp. 35-49.
- Liguori, I., Russo, G., Curcio, F., Bulli, G., Aran, L., Della-Morte, D., Gargiulo, G., Testa, G., Cacciatore, F., & Bonaduce, D. (2018). Oxidative stress, aging, and diseases. *Clinical Interventions in Aging*, 13, pp. 757.
- Lin, C.-L., Chen, T.-F., Chiu, M.-J., Way, T.-D., & Lin, J.-K. (2009). Epigallocatechin gallate (EGCG) suppresses β -amyloid-induced neurotoxicity through inhibiting c-Abl/FE65 nuclear translocation and GSK3 β activation. *Neurobiology of Aging*, 30(1), pp. 81-92.
- Lin, L. T., Liu, L. T., Chiang, L. C., & Lin, C. C. (2002). *In vitro* anti- hepatoma activity of fifteen natural medicines from Canada. *Phytotherapy Research*, 16(5), pp. 440-444.
- Link, S., & El-Sayed, M. A. (1999). Size and temperature dependence of the plasmon absorption of colloidal gold nanoparticles. *The Journal of Physical Chemistry B*, 103(21), pp. 4212-4217.
- Lionetto, M. G., Caricato, R., Calisi, A., Giordano, M. E., & Schettino, T. (2013). Acetylcholinesterase as a biomarker in environmental and occupational medicine: new insights and future perspectives. *BioMed Research International*, 2013, pp. 321231.
- Liu, Y., Yan, B., Winkler, D. A., Fu, J., & Zhang, A. (2017). Competitive inhibition mechanism of acetylcholinesterase without catalytic active site interaction:

- study on functionalized C60 nanoparticles via *in vitro* and *in silico* assays. *ACS Applied Materials & Interfaces*, 9(22), pp. 18626-18638.
- Llorens-Marítin, M., Jurado, J., Hernández, F., & Ávila, J. (2014). GSK-3 β , a pivotal kinase in Alzheimer disease. *Frontiers in Molecular Neuroscience*, 7, pp. 46.
- Logeswari, P., Silambarasan, S., & Abraham, J. (2013). Ecofriendly synthesis of silver nanoparticles from commercially available plant powders and their antibacterial properties. *Scientia Iranica*, 20(3), pp. 1049-1054.
- Lotito, S. B., & Frei, B. (2006). Consumption of flavonoid-rich foods and increased plasma antioxidant capacity in humans: cause, consequence, or epiphenomenon? *Free Radical Biology and Medicine*, 41(12), pp. 1727-1746.
- Maeta, K., Nomura, W., Takatsume, Y., Izawa, S., & Inoue, Y. (2007). Green tea polyphenols function as prooxidants to activate oxidative-stress-responsive transcription factors in yeasts. *Applied Environmental Microbiology*, 73(2), pp. 572-580.
- Mahboubi, M., Kazempour, N., & Nazar, A. R. B. (2013). Total phenolic, total flavonoids, antioxidant and antimicrobial activities of *Scrophularia striata* Boiss extracts. *Jundishapur Journal of Natural Pharmaceutical Products*, 8(1), pp. 15.
- Makarov, V., Love, A., Sinitsyna, O., Makarova, S., Yaminsky, I., Taliansky, M., & Kalinina, N. (2014). "Green" nanotechnologies: synthesis of metal nanoparticles using plants. *Acta Naturae*, 6(1), pp. 35-44.
- Manach, C., Scalbert, A., Morand, C., Rémésy, C., & Jiménez, L. (2004). Polyphenols: food sources and bioavailability. *The American Journal of Clinical Nutrition*, 79(5), pp. 727-747.
- Manivasagan, P., Alam, M. S., Kang, K.-H., Kwak, M., & Kim, S.-K. (2015). Extracellular synthesis of gold bionanoparticles by *Nocardia* sp. and evaluation of its antimicrobial, antioxidant and cytotoxic activities. *Bioprocess and Biosystems Engineering*, 38(6), pp. 1167-1177.
- Mao, P. (2013). Oxidative stress and its clinical applications in dementia. *Journal of Neurodegenerative Diseases*, 2013, pp. 319898.
- Marinova, G., & Batchvarov, V. (2011). Evaluation of the methods for determination of the free radical scavenging activity by DPPH. *Bulgarian Journal of Agricultural Science*, 17(1), pp. 11-24.

- Martínez-González, M. A., Salas-Salvadó, J., Estruch, R., Corella, D., Fitó, M., Ros, E., & Investigators, P. (2015). Benefits of the Mediterranean diet: insights from the PREDIMED study. *Progress in Cardiovascular Diseases*, 58(1), pp. 50-60.
- Martins, R. N., Villemagne, V., Sohrabi, H. R., Chatterjee, P., Shah, T. M., Verdile, G., Fraser, P., Taddei, K., Gupta, V. B., & Rainey-Smith, S. R. (2018). Alzheimer's disease: a journey from amyloid peptides and oxidative stress, to biomarker technologies and disease prevention strategies—gains from AIBL and DIAN cohort studies. *Journal of Alzheimer's Disease*, 62(3), pp. 965-992.
- Martirosyan, A., Grintzalis, K., Polet, M., Laloux, L., & Schneider, Y.-J. (2016). Tuning the inflammatory response to silver nanoparticles via quercetin in Caco-2 (co-) cultures as model of the human intestinal mucosa. *Toxicology Letters*, 253, pp. 36-45.
- Masserini, M. (2013). Nanoparticles for brain drug delivery. *ISRN biochemistry*, 2013, pp. 238428.
- Mata, R., Nakkala, J. R., & Sadras, S. R. (2016). Polyphenol stabilized colloidal gold nanoparticles from *Abutilon indicum* leaf extract induce apoptosis in HT-29 colon cancer cells. *Colloids and Surfaces B: Biointerfaces*, 143, pp. 499-510.
- Mathew, M., & Subramanian, S. (2014). *In vitro* screening for anti-cholinesterase and antioxidant activity of methanolic extracts of ayurvedic medicinal plants used for cognitive disorders. *PloS one*, 9(1), pp. e86804.
- Mathew, S., Abraham, T. E., & Zakaria, Z. A. (2015). Reactivity of phenolic compounds towards free radicals under *in vitro* conditions. *Journal of Food Science & Technology*, 52(9), pp. 5790-5798.
- Mayorga, P., Pérez, K. R., Cruz, S. M., & Cáceres, A. (2010). Comparison of bioassays using the anostracan crustaceans *Artemia salina* and *Thamnocephalus platyurus* for plant extract toxicity screening. *Revista Brasileira de Farmacognosia*, 20(6), pp. 897-903.
- McKhann, G., Knopman, D., Chertkow, H., Hyman, B., Jack Jr, C., Kawas, C., *et al.* (2016). The diagnosis of dementia due to Alzheimer's disease: recommendations from the National Institute on Aging-Alzheimer's Association workgroups on diagnostic guidelines for Alzheimer's disease. *Alzheimer's & Dementia*, 7 (3), pp. 263–269.

- Mecocci, P., Boccardi, V., Cecchetti, R., Bastiani, P., Scamosci, M., Ruggiero, C., & Baroni, M. (2018). A long journey into aging, brain aging, and Alzheimer's disease following the oxidative stress tracks. *Journal of Alzheimer's Disease*, 62(3), pp. 1319-1335.
- Mehta, M., Adem, A., & Sabbagh, M. (2012). New acetylcholinesterase inhibitors for Alzheimer's disease. *International Journal of Alzheimer's Disease*, 2012, pp. 728983.
- Mendiola-Precoma, J., Berumen, L., Padilla, K., & Garcia-Alcocer, G. (2016). Therapies for prevention and treatment of Alzheimer's disease. *BioMed Research International*, 2016, pp. 2589276.
- Menkes-Caspi, N., Yamin, H. G., Kellner, V., Spires-Jones, T. L., Cohen, D., & Stern, E. A. (2015). Pathological tau disrupts ongoing network activity. *Neuron*, 85(5), pp. 959-966.
- Mensor, L. L., Menezes, F. S., Leitão, G. G., Reis, A. S., Santos, T. C. d., Coube, C. S., & Leitão, S. G. (2001). Screening of Brazilian plant extracts for antioxidant activity by the use of DPPH free radical method. *Phytotherapy Research*, 15(2), pp. 127-130.
- Meyer, B., Ferrigni, N., Putnam, J., Jacobsen, L., Nichols, D. j., & McLaughlin, J. L. (1982). Brine shrimp: a convenient general bioassay for active plant constituents. *Planta Medica*, 45(05), pp. 31-34.
- Miean, K. H., & Mohamed, S. (2001). Flavonoid (myricetin, quercetin, kaempferol, luteolin, and apigenin) content of edible tropical plants. *Journal of Agricultural and Food Chemistry*, 49(6), pp. 3106-3112.
- Min, B. S., Cuong, T. D., Lee, J.-S., Shin, B.-S., Woo, M. H., & Hung, T. M. (2010). Cholinesterase inhibitors from *Cleistocalyx operculatus* buds. *Archives of Pharmacal Research*, 33(10), pp. 1665-1670.
- Mishra, A., Kumari, M., Pandey, S., Chaudhry, V., Gupta, K., & Nautiyal, C. (2014). Biocatalytic and antimicrobial activities of gold nanoparticles synthesized by *Trichoderma* sp. *Bioresource Technology*, 166, pp. 235-242.
- Mittal, A. K., Kumar, S., & Banerjee, U. C. (2014). Quercetin and gallic acid mediated synthesis of bimetallic (silver and selenium) nanoparticles and their antitumor and antimicrobial potential. *Journal of Colloid and Interface Science*, 431, pp. 194-199.

- Mittal, A. K., Tripathy, D., Choudhary, A., Aili, P. K., Chatterjee, A., Singh, I. P., & Banerjee, U. C. (2015). Bio-synthesis of silver nanoparticles using *Potentilla fulgens* Wall. ex Hook. and its therapeutic evaluation as anticancer and antimicrobial agent. *Materials Science and Engineering: C*, 53, pp. 120-127.
- Mohanta, Y. K., Panda, S. K., Jayabalan, R., Sharma, N., Bastia, A. K., & Mohanta, T. K. (2017). Antimicrobial, antioxidant and cytotoxic activity of silver nanoparticles synthesized by leaf extract of *Erythrina suberosa* (Roxb.). *Frontiers in Molecular Biosciences*, 4, pp. 14.
- Moore, T. L., Rodriguez-Lorenzo, L., Hirsch, V., Balog, S., Urban, D., Jud, C., Rothen-Rutishauser, B., Lattuada, M., & Petri-Fink, A. (2015). Nanoparticle colloidal stability in cell culture media and impact on cellular interactions. *Chemical Society Reviews*, 44(17), pp. 6287-6305.
- Moreno-García, A., Kun, A., Calero, O., Medina, M., & Calero, M. (2018). An overview of the role of lipofuscin in age-related neurodegeneration. *Frontiers in Neuroscience*, 12, pp. 464.
- Morris, G. P., Clark, I. A., & Vissel, B. (2018). Questions concerning the role of amyloid- β in the definition, aetiology and diagnosis of Alzheimer's disease. *Acta Neuropathologica*, pp. 1-27.
- Moloto, N.; Revaprasadu, N.; Musetha, P. L. & Moloto, M. J. (2009). The effect of precursor concentration, temperature, and capping groups on the morphology of CdS nanoparticles. *Journal of Nanoscience & Nanotechnology*, 9 (8), pp. 4760-4766.
- Mourdikoudis, S., Pallares, R. M., & Thanh, N. T. (2018). Characterization techniques for nanoparticles: comparison and complementarity upon studying nanoparticle properties. *Nanoscale*, 10 (27), pp. 12871-12934.
- Muhammad, A., Tel-Çayan, G., Öztürk, M., Duru, M. E., Nadeem, S., Anis, I., Ng, S. W., & Shah, M. R. (2016). Phytochemicals from *Dodonaea viscosa* and their antioxidant and anticholinesterase activities with structure–activity relationships. *Pharmaceutical Biology*, 54 (9), pp. 1649-1655.
- Muhammad, A., Tel-Cayan, G., Öztürk, M., Nadeem, S., Duru, M. E., Anis, I., Ng, S. W., & Shah, M. R. (2015). Biologically active flavonoids from *Dodonaea viscosa* and their structure–activity relationships. *Industrial Crops and Products*, 78, pp. 66-72.

- Mukherjee, P. K., Kumar, V., & Houghton, P. J. (2007). Screening of Indian medicinal plants for acetylcholinesterase inhibitory activity. *Phytotherapy Research*, 21(12), pp. 1142-1145.
- Mullane, K., & Williams, M. (2013). Alzheimer's therapeutics: continued clinical failures question the validity of the amyloid hypothesis—but what lies beyond? *Biochemical Pharmacology*, 85(3), pp. 289-305.
- Muniyappan, N., & Nagarajan, N. (2014). Green synthesis of silver nanoparticles with *Dalbergia spinosa* leaves and their applications in biological and catalytic activities. *Process Biochemistry*, 49(6), pp. 1054-1061.
- Nakkala, J.R., Mata, R. & Sadras, S. R. (2016). The antioxidant and catalytic activities of green synthesized gold nanoparticles from *Piper longum* fruit extract, *Process Safety and Environment Protection*, 100, pp. 288-294.
- Narayanan, K. B., & Sakthivel, N. (2011). Extracellular synthesis of silver nanoparticles using the leaf extract of *Coleus amboinicus* Lour. *Materials Research Bulletin*, 46(10), pp. 1708-1713.
- Nasir, M., Abdullah, J., Habsah, M., Ghani, R., & Rammes, G. (2012). Inhibitory effect of asiatic acid on acetylcholinesterase, excitatory post synaptic potential and locomotor activity. *Phytomedicine*, 19(3-4), pp. 311-316.
- Nasrollahzadeh, M., Sajjadi, M., & Sajadi, S. M. (2018). Biosynthesis of copper nanoparticles supported on manganese dioxide nanoparticles using *Centella asiatica* L. leaf extract for the efficient catalytic reduction of organic dyes and nitroarenes. *Chinese Journal of Catalysis*, 39(1), pp. 109-117.
- Nazeruddin, G., Prasad, N., Prasad, S., Shaikh, Y., Waghmare, S., & Adhyapak, P. (2014). *Coriandrum sativum* seed extract assisted in situ green synthesis of silver nanoparticle and its anti-microbial activity. *Industrial Crops and Products*, 60, pp. 212-216.
- Ndeh, N. T., Maensiri, S., & Maensiri, D. (2017). The effect of green synthesized gold nanoparticles on rice germination and roots. *Advances in Natural Sciences: Nanoscience and Nanotechnology*, 8(3), pp. 035008.
- Ndikau, M., Noah, N. M., Andala, D. M., & Masika, E. (2017). Green synthesis and characterization of silver nanoparticles using *Citrullus lanatus* fruit rind extract. *International Journal of Analytical Chemistry*, 2017, pp. 8108504.

- Netala, V. R., Kotakadi, V. S., Nagam, V., Bobbu, P., Ghosh, S. B., & Tartte, V. (2015). First report of biomimetic synthesis of silver nanoparticles using aqueous callus extract of *Centella asiatica* and their antimicrobial activity. *Applied Nanoscience*, 5(7), pp. 801-807.
- Ngamdee, P., Wichai, U., & Jiamyangyuen, S. (2016). Correlation between phytochemical and mineral contents and antioxidant activity of black glutinous rice bran, and its potential chemopreventive property. *Food Technology and Biotechnology*, 54(3), pp. 282.
- Nhiem, N. X., Tai, B. H., Quang, T. H., Van Kiem, P., Van Minh, C., Nam, N. H., Kim, J.-H., Im, L.-R., Lee, Y.-M., & Kim, Y. H. (2011). A new ursane-type triterpenoid glycoside from *Centella asiatica* leaves modulates the production of nitric oxide and secretion of TNF- α in activated RAW 264.7 cells. *Bioorganic & Medicinal Chemistry Letters*, 21(6), pp. 1777-1781.
- Nijveldt, R. J., Van Nood, E., Van Hoorn, D. E., Boelens, P. G., Van Norren, K., & Van Leeuwen, P. A. (2001). Flavonoids: a review of probable mechanisms of action and potential applications. *The American Journal of Clinical Nutrition*, 74(4), pp. 418-425.
- Nimse, S. B., & Pal, D. (2015). Free radicals, natural antioxidants, and their reaction mechanisms. *RSC Advances*, 5(35), pp. 27986-28006.
- Nordberg, A., & Svensson, A. (1999). Cholinesterase inhibitors in the treatment of Alzheimer's disease: a comparison of tolerability and pharmacology drug safety (vol 19, pg 465, 1998). *Drug Safety*, 20(2), pp. 146-146.
- Noruzi, M. (2015). Biosynthesis of gold nanoparticles using plant extracts. *Bioprocess and Biosystems Engineering*, 38(1), pp. 1-14.
- Nour, A. H., Khan, M., Sulaiman, A. Z., Batool, T., Nour, A. H., Khan, M. M., & Kormin, F. (2014). *In vitro* anti-acetyl cholinesterase and antioxidant activity of selected Malaysian plants. *Asian Journal of Pharmaceutical & Clinical Research*, 7(3), pp. 93-97.
- O'Brien, R. J., & Wong, P. C. (2011). Amyloid precursor protein processing and Alzheimer's disease. *Annual Review of Neuroscience*, 34, pp. 185-204.
- O'Brown, N. M., Pfau, S. J., & Gu, C. (2018). Bridging barriers: a comparative look at the blood–brain barrier across organisms. *Genes & Development*, 32(7-8), pp. 466-478.

- Obregon, D. F., Rezai-Zadeh, K., Bai, Y., Sun, N., Hou, H., Ehrhart, J., Zeng, J., Mori, T., Arendash, G. W., & Shytle, D. (2006). ADAM10 activation is required for green tea (–)-epigallocatechin-3-gallate-induced α -secretase cleavage of amyloid precursor protein. *Journal of Biological Chemistry*, 281(24), pp. 16419-16427.
- Odhav, B., Beekrum, S., Akula, U., & Baijnath, H. (2007). Preliminary assessment of nutritional value of traditional leafy vegetables in KwaZulu-Natal, *South African Journal of Food Composition and Analysis*, 20(5), pp. 430-435.
- Olennikov, D. N., Kashchenko, N. I., Chirikova, N. K., Akobirshoeva, A., Zilfikarov, I. N., & Vennos, C. (2017). Isorhamnetin and quercetin derivatives as anti-acetylcholinesterase principles of marigold (*Calendula officinalis*) flowers and preparations. *International Journal of Molecular Sciences*, 18(8), pp. 1685.
- Oliveira, R. N., Mancini, M. C., Oliveira, F. C. S. d., Passos, T. M., Quilty, B., Thiré, R. M. d. S. M., & McGuinness, G. B. (2016). FTIR analysis and quantification of phenols and flavonoids of five commercially available plants extracts used in wound healing. *Matéria*, 21(3), pp. 767-779.
- Omar, S. H. (2017). Biophenols pharmacology against the amyloidogenic activity in Alzheimer's disease. *Biomedicine & Pharmacotherapy*, 89, pp. 396-413.
- Ordóñez, A., Gomez, J., & Vattuone, M. (2006). Antioxidant activities of *Sechium edule* (Jacq.) Swartz extracts. *Food Chemistry*, 97(3), pp. 452-458.
- Orhan, G., Orhan, I., & Sener, B. (2006). Recent developments in natural and synthetic drug research for Alzheimer's disease. *Letters in Drug Design & Discovery*, 3(4), pp. 268-274.
- Orhan, I. E. (2012). Current concepts on selected plant secondary metabolites with promising inhibitory effects against enzymes linked to Alzheimer's disease. *Current Medicinal Chemistry*, 19(14), pp. 2252-2261.
- Orhan, I. E. (2012a). *Centella asiatica* (L.) Urban: From Traditional Medicine to Modern Medicine with Neuroprotective Potential. *Evid Based Complement Alternative Medicine*, 2012, pp. 946259.
- Orhan, I. E. (2014). Implications of some selected flavonoids towards Alzheimer's disease with the emphasis on cholinesterase inhibition and their bioproduction by metabolic engineering. *Current Pharmaceutical Biotechnology*, 15(4), pp. 352-361.

- Orhan, I. E., Atasü, E., Senol, F. S., Oztürk, N., Demirci, B., Das, K., & Sekeroglu, N. (2013). Comparative studies on Turkish and Indian *Centella asiatica* (L.) Urban (gotu kola) samples for their enzyme inhibitory and antioxidant effects and phytochemical characterization. *Industrial Crops and Products*, 47, pp. 316-322.
- Orhan, I. E., Daglia, M., Nabavi, S., Loizzo, M., Sobarzo-Sánchez, E., & Nabavi, S. (2015). Flavonoids and dementia: an update. *Current Medicinal Chemistry*, 22(8), pp. 1004-1015.
- Orhan, I. E., Kartal, M., Tosun, F., & Şener, B. (2007). Screening of various phenolic acids and flavonoid derivatives for their anticholinesterase potential. *Zeitschrift für Naturforschung C*, 62(11-12), pp. 829-832.
- Osonga, F. J., Yazgan, I., Kariuki, V., Luther, D., Jimenez, A., Le, P., & Sadik, O. A. (2016). Greener synthesis and characterization, antimicrobial and cytotoxicity studies of gold nanoparticles of novel shapes and sizes. *RSC Advances*, 6(3), pp. 2302-2313.
- Ovais, M., Raza, A., Naz, S., Islam, N. U., Khalil, A. T., Ali, S., Khan, M. A., & Shinwari, Z. K. (2017). Current state and prospects of the phytosynthesized colloidal gold nanoparticles and their applications in cancer theranostics. *Applied Microbiology and Biotechnology*, 101(9), pp. 3551-3565.
- Owokotomo, I., Ekundayo, O., Abayomi, T., & Chukwuka, A. (2015). In-vitro anticholinesterase activity of essential oil from four tropical medicinal plants. *Toxicology Reports*, 2, pp. 850-857.
- Ozkan, G., Kamiloglu, S., Ozdal, T., Boyacioglu, D., & Capanoglu, E. (2016). Potential use of turkish medicinal plants in the treatment of various diseases. *Molecules*, 21(3), pp. 257.
- Padmaja, R., Arun, P., Prashanth, D., Deepak, M., Amit, A., & Anjana, M. (2002). Brine shrimp lethality bioassay of selected Indian medicinal plants. *Fitoterapia*, 73(6), pp. 508-510.
- Padurariu, M., Ciobica, A., Lefter, R., Lacramioara Serban, I., Stefanescu, C., & Chirita, R. (2013). The oxidative stress hypothesis in Alzheimer's disease. *Psychiatria Danubina*, 25(4), pp. 0-409.
- Pan, F., Su, T.-J., Cai, S.-M., & Wu, W. (2017). Fungal endophyte-derived *Fritillaria unibracteata* var. wabuensis: diversity, antioxidant capacities *in vitro* and

- relations to phenolic, flavonoid or saponin compounds. *Scientific Reports*, 7, pp. 42008.
- Pan, Y., Abd-Rashid, B. A., Ismail, Z., Ismail, R., Mak, J. W., Pook, P. C., Er, H. M., & Ong, C. E. (2010). *In vitro* modulatory effects on three major human cytochrome P450 enzymes by multiple active constituents and extracts of *Centella asiatica*. *Journal of Ethnopharmacology*, 130(2), pp. 275-283.
- Panche, A., Diwan, A., & Chandra, S. (2016). Flavonoids: an overview. *Journal of Nutritional Science*, 5, pp. e47.
- Pandey, K. B., & Rizvi, S. I. (2009). Plant polyphenols as dietary antioxidants in human health and disease. *Oxidative Medicine and Cellular Longevity*, 2(5), pp. 270-278.
- Pardridge, W. M. (2009). Alzheimer's disease drug development and the problem of the blood-brain barrier. *Alzheimer's & Dementia*, 5(5), pp. 427-432.
- Patel, K., Jain, A., & Patel, D. K. (2013). Medicinal significance, pharmacological activities, and analytical aspects of anthocyanidins 'delphinidin': A concise report. *Journal of Acute Disease*, 2(3), pp. 169-178.
- Patra, S., Mukherjee, S., Barui, A. K., Ganguly, A., Sreedhar, B., & Patra, C. R. (2015). Green synthesis, characterization of gold and silver nanoparticles and their potential application for cancer therapeutics. *Materials Science and Engineering: C*, 53, pp. 298-309.
- Patterson, C. (2018). World Alzheimer Report 2018: The State of the Art of Dementia Research: New Frontiers. Alzheimer's Disease International (ADI): London, UK. <https://www.alz.co.uk/research/WorldAlzheimerReport2018.pdf>
- Pennycook, T. J., McBride, J. R., Rosenthal, S. J., Pennycook, S. J., & Pantelides, S. T. (2012). Dynamic fluctuations in ultrasmall nanocrystals induce white light emission. *Nano Letters*, 12 (6), pp. 3038–3042.
- Perry, G., Moreira, P. I., Santos, M. S., Oliveira, C. R., Shenk, J. C., Nunomura, A., Smith, M. A., & Zhu, X. (2008). Alzheimer disease and the role of free radicals in the pathogenesis of the disease. *CNS & Neurological Disorders-Drug Targets*, 7(1), pp. 3-10.
- Peterson, J. J., Beecher, G. R., Bhagwat, S. A., Dwyer, J. T., Gebhardt, S. E., Haytowitz, D. B., & Holden, J. M. (2006). Flavanones in grapefruit, lemons,

- and limes: A compilation and review of the data from the analytical literature. *Journal of Food Composition and Analysis*, 19, pp. S74-S80.
- Phaniendra, A., Jestadi, D. B., & Periyasamy, L. (2015). Free radicals: properties, sources, targets, and their implication in various diseases. *Indian Journal of Clinical Biochemistry*, 30(1), pp. 11-26.
- Phanjom, P. & Ahmed, G. (2017). Effect of different physicochemical conditions on the synthesis of silver nanoparticles using fungal cell filtrate of *Aspergillus oryzae* (MTT No. 1846) and their antibacterial effect. *Advances in Natural Sciences: Nanoscience and Nanotechnology*, 4 (8), pp. 045016.
- Philip, D. (2010). Green synthesis of gold and silver nanoparticles using *Hibiscus rosa sinensis*. *Physica E: Low-Dimensional Systems and Nanostructures*, 42(5), pp. 1417-1424.
- Pietta, P. G. (2000). Flavonoids as antioxidants. *Journal of Natural Products*, 63, pp. 1035-1042.
- Pimplikar, S. W. (2009). Reassessing the amyloid cascade hypothesis of Alzheimer's disease. *The International Journal of Biochemistry & Cell Biology*, 41(6), pp. 1261-1268.
- Pimplikar, S. W., Nixon, R. A., Robakis, N. K., Shen, J., & Tsai, L.-H. (2010). Amyloid-independent mechanisms in Alzheimer's disease pathogenesis. *Journal of Neuroscience*, 30(45), pp. 14946-14954.
- Pingale, S. S. (2008). Evaluation of effect of *Centella asiatica* on CCL4 induced rat liver damage. *Pharmacology Online*, 3, pp. 537-543.
- Pinho, B. R., Ferreres, F., Valentão, P., & Andrade, P. B. (2013). Nature as a source of metabolites with cholinesterase- inhibitory activity: an approach to Alzheimer's disease treatment. *Journal of Pharmacy and Pharmacology*, 65(12), pp. 1681-1700.
- Pittella, F., Dutra, R., Junior, D., Lopes, M. T., & Barbosa, N. (2009). Antioxidant and cytotoxic activities of *Centella asiatica* (L) Urb. *International Journal of Molecular Sciences*, 10(9), pp. 3713-3721.
- Powers, J. (1997). Diagnostic criteria for the neuropathologic assessment of Alzheimer's disease. *Neurobiology of Aging*, 18(4), pp. S53-S54.
- Prior, R. L., & Cao, G. (2000). Antioxidant phytochemicals in fruits and vegetables: diet and health implications. *Horticulture Science*, 35(4), pp. 588-592.

- Punturee, K., Wild, C. P., Kasinrerk, W., & Vinitketkumnien, U. (2005). Immunomodulatory activities of *Centella asiatica* and *Rhinacanthus nasutus* extracts. *Asian Pacific Journal of Cancer Prevention*, 6(3), pp. 396-400.
- Quental, N. B. M., Brucki, S. M. D., & Bueno, O. F. A. (2013). Visuospatial function in early Alzheimer's disease—the use of the Visual Object and Space Perception (VOSP) battery. *PloS one*, 8(7), pp. e68398.
- Raghavan, B. S., Kondath, S., Anantanarayanan, R., & Rajaram, R. (2015). Kaempferol mediated synthesis of gold nanoparticles and their cytotoxic effects on MCF-7 cancer cell line. *Process Biochemistry*, 50(11), pp. 1966-1976.
- Raghunandan, D., Ravishankar, B., Sharanbasava, G., Mahesh, D. B., Harsoor, V., Yalagatti, M. S., Bhagawanraju, M., & Venkataraman, A. (2011). Anti-cancer studies of noble metal nanoparticles synthesized using different plant extracts. *Cancer Nanotechnology*, 2(1), pp. 57.
- Rahman, M. M., Sayeed, M. S. B., Haque, M. A., Hassan, M. M., & Islam, S. A. (2012). Phytochemical screening, antioxidant, anti-Alzheimer and anti-diabetic activities of *Centella asiatica*. *Journal of Natural Products & Plant Resources*, 2(4), pp. 504-511.
- Rai, A., Singh, A., Ahmad, A., & Sastry, M. (2006). Role of halide ions and temperature on the morphology of biologically synthesized gold nanotriangles. *Langmuir*, 22(2), pp. 736-741.
- Rajabi, S., Ramazani, A., Hamidi, M., & Naji, T. (2015). *Artemia salina* as a model organism in toxicity assessment of nanoparticles. *DARU Journal of Pharmaceutical Sciences*, 23(1), pp. 20.
- Rajakumar, G., Gomathi, T., Thiruvengadam, M., Rajeswari, V. D., Kalpana, V., & Chung, I.-M. (2017). Evaluation of anti-cholinesterase, antibacterial and cytotoxic activities of green synthesized silver nanoparticles using from *Millettia pinnata* flower extract. *Microbial Pathogenesis*, 103, pp. 123-128.
- Rajan, A., Rajan, A. R., & Philip, D. (2017). *Elettaria cardamomum* seed mediated rapid synthesis of gold nanoparticles and its biological activities. *OpenNano*, 2, pp. 1-8.

- Rajan, A., Vilas, V., & Philip, D. (2015). Studies on catalytic, antioxidant, antibacterial and anticancer activities of biogenic gold nanoparticles. *Journal of Molecular Liquids*, 212, pp. 331-339.
- Rajaram, K., Aiswarya, D., & Sureshkumar, P. (2015). Green synthesis of silver nanoparticle using *Tephrosia tinctoria* and its antidiabetic activity. *Materials Letters*, 138, pp. 251-254.
- Rajkumari, J., Busi, S., Vasu, A. C., & Reddy, P. (2017). Facile green synthesis of baicalein fabricated gold nanoparticles and their antibiofilm activity against *Pseudomonas aeruginosa* PAO1. *Microbial Pathogenesis*, 107, pp. 261-269.
- Ramachandran, V., & Saravanan, R. (2013). Efficacy of asiatic acid, a pentacyclic triterpene on attenuating the key enzymes activities of carbohydrate metabolism in streptozotocin-induced diabetic rats. *Phytomedicine*, 20(3-4), pp. 230-236.
- Ramassamy, C. (2006). Emerging role of polyphenolic compounds in the treatment of neurodegenerative diseases: a review of their intracellular targets. *European Journal of Pharmacology*, 545(1), pp. 51-64.
- Rao, M. V. G., & Mastan, S. (2007). Antidiabetic effects of methanolic extract of *Centella asiatica* (Linn.) on induced hyperglycemic rats. *Biosciences Biotechnology Research Asia*, 4(2), pp. 721-724.
- Rao, S. B., Chetana, M., & Devi, P. U. (2005). *Centella asiatica* treatment during postnatal period enhances learning and memory in mice. *Physiology & Behavior*, 86(4), pp. 449-457.
- Rasouli, H., Farzaei, M. H., & Khodarahmi, R. (2017). Polyphenols and their benefits: A review. *International Journal of Food Properties*, 20(sup 2), pp. 1700-1741.
- Re, R., Pellegrini, N., Proteggente, A., Pannala, A., Yang, M., & Rice-Evans, C. (1999). Antioxidant activity applying an improved ABTS radical cation decolorization assay. *Free Radical Biology and Medicine*, 26(9-10), pp. 1231-1237.
- Reale, M., Costantini, E., Di Nicola, M., D'Angelo, C., Franchi, S., D'Aurora, M., Di Bari, M., Orlando, V., Galizia, S., & Ruggieri, S. (2018). Butyrylcholinesterase and Acetylcholinesterase polymorphisms in Multiple Sclerosis patients: implication in peripheral inflammation. *Scientific Reports*, 8(1), pp. 1319.

- Reddy, G. B., Madhusudhan, A., Ramakrishna, D., Ayodhya, D., Venkatesham, M. & Veerabhadram, G. (2014). Green chemistry approach for the synthesis of gold nanoparticles with gum kondagogu: characterization, catalytic and antibacterial activity. *Journal of Nanostructure in Chemistry*, 5, 185-193.
- Reddy, N. J., Vali, D. N., Rani, M., & Rani, S. S. (2014). Evaluation of antioxidant, antibacterial and cytotoxic effects of green synthesized silver nanoparticles by *Piper longum* fruit. *Materials Science and Engineering: C*, 34, pp. 115-122.
- Rehana, D., Mahendiran, D., Kumar, R. S., & Rahiman, A. K. (2017). *In vitro* antioxidant and antidiabetic activities of zinc oxide nanoparticles synthesized using different plant extracts. *Bioprocess and Biosystems Engineering*, 40(6), pp. 943-957.
- Rekulapally, R., Chavali, L. N. M., Idris, M. M., & Singh, S. (2019). Toxicity of TiO₂, SiO₂, ZnO, CuO, Au and Ag engineered nanoparticles on hatching and early nauplii of *Artemia* sp. *PeerJ*, 6, pp. e6138.
- Ren, L., Wang, F., Xu, Z., Chan, W. M., Zhao, C., & Xue, H. (2010). GABAA receptor subtype selectivity underlying anxiolytic effect of 6-hydroxyflavone. *Biochemical Pharmacology*, 79(9), pp. 1337-1344.
- Rice-Evans, C., & Miller, N. J. (1995). Antioxidants—the case for fruit and vegetables in the diet. *British Food Journal*, 97(9), pp. 35-40.
- Rice-Evans, C. A., Miller, N. J., & Paganga, G. (1996). Structure-antioxidant activity relationships of flavonoids and phenolic acids. *Free Radical Biology and Medicine*, 20(7), pp. 933-956.
- Rimbach, G., Boesch-Saadatmandi, C., Frank, J., Fuchs, D., Wenzel, U., Daniel, H., Hall, W. L., & Weinberg, P. D. (2008). Dietary isoflavones in the prevention of cardiovascular disease—a molecular perspective. *Food and Chemical Toxicology*, 46(4), pp. 1308-1319.
- Rizvi, S. A., & Saleh, A. M. (2018). Applications of nanoparticle systems in drug delivery technology. *Saudi Pharmaceutical Journal*, 26(1), pp. 64-70.
- Roberson, E. D., Searce-Levie, K., Palop, J. J., Yan, F., Cheng, I. H., Wu, T., Gerstein, H., Yu, G.-Q., & Mucke, L. (2007). Reducing endogenous tau ameliorates amyloid β -induced deficits in an Alzheimer's disease mouse model. *Science*, 316(5825), pp. 750-754.

- Rocha, S. (2013). Targeted drug delivery across the blood brain barrier in Alzheimer's disease. *Current Pharmaceutical Design*, 19(37), pp. 6635-6646.
- Ross, M. B., Mirkin, C. A., & Schatz, G. C. (2016). Optical properties of one-, two-, and three-dimensional arrays of plasmonic nanostructures. *The Journal of Physical Chemistry C*, 120(2), pp. 816-830.
- Roy, D. C., Barman, S. K., & Shaik, M. M. (2013). Current updates on *Centella asiatica*: phytochemistry, pharmacology and traditional uses. *Medicinal Plant Research*, 3(4), pp. 20-36.
- Ruszymah, B. H. I., Chowdhury, S. R., Manan, N. A. B. A., Fong, O. S., Adenan, M. I., & Saim, A. B. (2012). Aqueous extract of *Centella asiatica* promotes corneal epithelium wound healing *in vitro*. *Journal of Ethnopharmacology*, 140(2), pp. 333-338.
- Sadigh-Eteghad, S., Sabermarouf, B., Majdi, A., Talebi, M., Farhoudi, M., & Mahmoudi, J. (2015). Amyloid-beta: a crucial factor in Alzheimer's disease. *Medical Principles and Practice*, 24(1), pp. 1-10.
- Sadiq, A., Mahmood, F., Ullah, F., Ayaz, M., Ahmad, S., Haq, F. U., Khan, G., & Jan, M. S. (2015). Synthesis, anticholinesterase and antioxidant potentials of ketoesters derivatives of succinimides: a possible role in the management of Alzheimer's. *Chemistry Central Journal*, 9(1), pp. 31.
- Saeedi, M., Eslamifar, M., Khezri, K., & Dizaj, S. M. (2019). Applications of nanotechnology in drug delivery to the central nervous system. *Biomedicine & Pharmacotherapy*, 111, pp. 666-675.
- Saha, S., Guria, T., Singha, T., & Maity, T. K. (2013). Evaluation of analgesic and anti-inflammatory activity of chloroform and methanol extracts of *Centella asiatica* Linn. *ISRN Pharmacology*, 2013, pp. 789613.
- Sairam, K., Rao, C. V., & Goel, R. (2001). Effect of *Centella asiatica* Linn on physical and chemical factors induced gastric ulceration and secretion in rats. *Indian Journal of Experimental Biology*, 39(2), pp. 137-142.
- Samieri, C. (2018). Epidemiology and Risk Factors of Alzheimer's Disease: A Focus on Diet. in Pernecky, R. (Ed.). *Biomarkers for Preclinical Alzheimer's Disease*. USA: Springer. pp. 15-42.

- Sanabria-Castro, A., Alvarado-Echeverría, I., & Monge-Bonilla, C. (2017). Molecular pathogenesis of Alzheimer's disease: an update. *Annals of Neurosciences*, 24(1), pp. 46-54.
- Sankar, V., SalinRaj, P., Athira, R., Soumya, R. S., & Raghu, K. G. (2015). Cerium nanoparticles synthesized using aqueous extract of *Centella asiatica*: characterization, determination of free radical scavenging activity and evaluation of efficacy against cardiomyoblast hypertrophy. *RSC Advances*, 5(27), pp. 21074-21083.
- Sant'Ana, L. D. O., Buarque Ferreira, A. B., Lorenzon, M. C. A., Berbara, R. L. L., & Castro, R. N. (2014). Correlation of total phenolic and flavonoid contents of Brazilian honeys with colour and antioxidant capacity. *International Journal of Food Properties*, 17(1), pp. 65-76.
- Santhoshkumar, J., Rajeshkumar, S., & Kumar, S. V. (2017). Phyto-assisted synthesis, characterization and applications of gold nanoparticles—A review. *Biochemistry and Biophysics Reports*, 11, pp. 46-57.
- Santos-Neto, L. L. d., de Vilhena Toledo, M. A., Medeiros-Souza, P., & de Souza, G. A. (2006). The use of herbal medicine in Alzheimer's disease—a systematic review. *Evidence-Based Complementary and Alternative Medicine*, 3(4), pp. 441-445.
- Saraiva, C., Praça, C., Ferreira, R., Santos, T., Ferreira, L., & Bernardino, L. (2016). Nanoparticle-mediated brain drug delivery: overcoming blood–brain barrier to treat neurodegenerative diseases. *Journal of Controlled Release*, 235, pp. 34-47.
- Sardar, M., & Mazumder, J. A. (2019). Biomolecules Assisted Synthesis of Metal Nanoparticles. in Dasgupta, N., Ranjan, S, & Lichtfouse, E. (Eds.). *Environmental Nanotechnology*. USA: Springer. pp. 1-23.
- Sasaguri, H., Nilsson, P., Hashimoto, S., Nagata, K., Saito, T., De Strooper, B., Hardy, J., Vassar, R., Winblad, B., & Saido, T. C. (2017). APP mouse models for Alzheimer's disease preclinical studies. *The EMBO journal*, 36(17), pp. 2473-2487.
- Sathishkumar, P., Gu, F. L., Zhan, Q., Palvannan, T., & Yusoff, A. R. M. (2018). Flavonoids mediated 'Green' nanomaterials: A novel nanomedicine system to

treat various diseases—Current trends and future perspective. *Materials Letters*, 210, pp. 26-30.

Sathishkumar, P., Preethi, J., Vijayan, R., Yusoff, A. R. M., Ameen, F., Suresh, S., Balagurunathan, R., & Palvannan, T. (2016). Anti-acne, anti-dandruff and anti-breast cancer efficacy of green synthesised silver nanoparticles using *Coriandrum sativum* leaf extract. *Journal of Photochemistry and Photobiology B: Biology*, 163, pp. 69-76.

Sathishkumar, P., Vennila, K., Jayakumar, R., Yusoff, A. R. M., Hadibarata, T., & Palvannan, T. (2016). Phyto-synthesis of silver nanoparticles using *Alternanthera tenella* leaf extract: An effective inhibitor for the migration of human breast adenocarcinoma (MCF-7) cells. *Bioprocess and Biosystems Engineering*, 39(4), pp. 651-659.

Satpathy, S., Patra, A., Ahirwar, B., & Delwar Hussain, M. (2018). Antioxidant and anticancer activities of green synthesized silver nanoparticles using aqueous extract of tubers of *Pueraria tuberosa*. *Artificial cells, Nanomedicine, and Biotechnology*, 46(sup 3), pp. S71-S85.

Satyavani, K., Gurudeeban, S., Ramanathan, T., & Balasubramanian, T. (2011). Biomedical potential of silver nanoparticles synthesized from calli cells of *Citrullus colocynthis* (L.) Schrad. *Journal of Nanobiotechnology*, 9(1), pp. 43.

Sawasdee, P., Sabphon, C., Sitthiwongwanit, D., & Kokpol, U. (2009). Anticholinesterase activity of 7- methoxyflavones isolated from *Kaempferia parviflora*. *Phytotherapy Research*, 23(12), pp. 1792-1794.

Sberna, G., Sáez- Valero, J., Beyreuther, K., Masters, C. L., & Small, D. H. (1997). The amyloid β - protein of Alzheimer's disease increases acetylcholinesterase expression by increasing intracellular calcium in embryonal carcinoma P19 cells. *Journal of Neurochemistry*, 69(3), pp. 1177-1184.

Şenol, F., Orhan, I., Yilmaz, G., Cicek, M., & Şener, B. (2010). Acetylcholinesterase, butyrylcholinesterase, and tyrosinase inhibition studies and antioxidant activities of 33 *Scutellaria* L. taxa from Turkey. *Food and Chemical Toxicology*, 48(3), pp. 781-788.

Sepahpour, S., Selamat, J., Abdul Manap, M., Khatib, A., & Abdull Razis, A. (2018). Comparative analysis of chemical composition, antioxidant activity and

- quantitative characterization of some phenolic compounds in selected herbs and spices in different solvent extraction systems. *Molecules*, 23(2), pp. 402.
- Sghaier, M. B., Skandrani, I., Nasr, N., Franca, M.-G. D., Chekir-Ghedira, L., & Ghedira, K. (2011). Flavonoids and sesquiterpenes from *Tecurium ramosissimum* promote antiproliferation of human cancer cells and enhance antioxidant activity: A structure–activity relationship study. *Environmental Toxicology and Pharmacology*, 32(3), pp. 336-348.
- Shabestarian, H., Homayouni-Tabrizi, M., Soltani, M., Namvar, F., Azizi, S., Mohamad, R., & Shabestarian, H. (2017). Green synthesis of gold nanoparticles using *Sumac* aqueous extract and their antioxidant activity. *Materials Research*, 20(1), pp. 264-270.
- Shah, M., Fawcett, D., Sharma, S., Tripathy, S., & Poinern, G. (2015). Green synthesis of metallic nanoparticles via biological entities. *Materials*, 8(11), pp. 7278-7308.
- Shah, M. D., & Hossain, M. A. (2014). Total flavonoids content and biochemical screening of the leaves of tropical endemic medicinal plant *Merremia borneensis*. *Arabian Journal of Chemistry*, 7(6), pp. 1034-1038.
- Shaik, M. R., Khan, M., Kuniyil, M., Al-warthan, A., Alkhathlan, H. Z., Siddiqui, M. R. H., Shaik, J. P., Ahmed, A., Mahmood, A., Khan, M., & Adil, S. F. (2018). Plant-Extract-Assisted Green Synthesis of Silver Nanoparticles Using *Origanum vulgare* L. Extract and Their Microbicidal Activities. *Sustainability*, 10, pp. 913.
- Shalaby, E. A., & Shanab, S. M. (2013). Comparison of DPPH and ABTS assays for determining antioxidant potential of water and methanol extracts of *Spirulina platensis*. *Indian Journal of Geo-Marine Sciences*, 42(5), pp. 556-564.
- Shankar, S. S., Rai, A., Ahmad, A., & Sastry, M. (2004). Rapid synthesis of Au, Ag, and bimetallic Au core–Ag shell nanoparticles using Neem (*Azadirachta indica*) leaf broth. *Journal of Colloid and Interface Science*, 275(2), pp. 496-502.
- Shao, Y., Hu, Z., Yu, Y., Mou, R., Zhu, Z., & Beta, T. (2018). Phenolic acids, anthocyanins, proanthocyanidins, antioxidant activity, minerals and their correlations in non-pigmented, red, and black rice. *Food Chemistry*, 239, pp. 733-741.

- Sharma, J., & Sharma, R. (2002). Radioprotection of Swiss albino mouse by *Centella asiatica* extract. *Phytotherapy Research*, 16(8), pp. 785-786.
- Sharma, R., & Sharma, J. (2005). Modification of gamma ray induced changes in the mouse hepatocytes by *Centella asiatica* extract: *in vivo* studies. *Phytotherapy Research*, 19(7), pp. 605-611.
- Sheny, D., Mathew, J., & Philip, D. (2011). Phytosynthesis of Au, Ag and Au–Ag bimetallic nanoparticles using aqueous extract and dried leaf of *Anacardium occidentale*. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 79(1), pp. 254-262.
- Shetty, B. S., Udupa, S., Udupa, A., & Somayaji, S. (2006). Effect of *Centella asiatica* L (Umbelliferae) on normal and dexamethasone-suppressed wound healing in Wistar Albino rats. *The International Journal of Lower Extremity Wounds*, 5(3), pp. 137-143.
- Shimmyo, Y., Kihara, T., Akaike, A., Niidome, T., & Sugimoto, H. (2008a). Epigallocatechin-3-gallate and curcumin suppress amyloid beta-induced beta-site APP cleaving enzyme-1 upregulation. *Neuroreport*, 19(13), pp. 1329-1333.
- Shimmyo, Y., Kihara, T., Akaike, A., Niidome, T., & Sugimoto, H. (2008b). Flavonols and flavones as BACE-1 inhibitors: structure–activity relationship in cell-free, cell-based and *in silico* studies reveal novel pharmacophore features. *Biochimica et Biophysica Acta (BBA)-General Subjects*, 1780(5), pp. 819-825.
- Shinomol, G. K. & Bharath, M. S. (2011). Exploring the role of “Brahmi” (*Bacopa monnieri* and *Centella asiatica*) in brain function and therapy. *Recent patents on endocrine, metabolic & immune drug discovery*, 5(1), pp. 33-49.
- Shobi, V. & Goel, H. (2001). Protection against radiation-induced conditioned taste aversion by *Centella asiatica*. *Physiology & Behavior*, 73(1-2), pp. 19-23.
- Shukla, S. D., Bhatnagar, M., & Khurana, S. (2012). Critical evaluation of ayurvedic plants for stimulating intrinsic antioxidant response. *Frontiers in Neuroscience*, 6, pp. 112.
- Siddiqui, B., Aslam, H., Ali, S., Khan, S., & Begum, S. (2007). Chemical constituents of *Centella asiatica*. *Journal of Asian Natural Products Research*, 9(4), pp. 407-414.

- Singh, A. K., & Srivastava, O. (2015). One-step green synthesis of gold nanoparticles using black cardamom and effect of pH on its synthesis. *Nanoscale Research Letters*, 10(1), pp. 353.
- Singh, B., & Rastogi, R. (1969). A reinvestigation of the triterpenes of *Centella asiatica*. *Phytochemistry*, 8(5), pp. 917-921.
- Singh, P., Kim, Y.-J., Zhang, D., & Yang, D.-C. (2016). Biological synthesis of nanoparticles from plants and microorganisms. *Trends in Biotechnology*, 34(7), pp. 588-599.
- Singhal, A. K., Naithani, V., & Bangar, O. P. (2012). Medicinal plants with a potential to treat Alzheimer and associated symptoms. *International Journal of Nutrition, Pharmacology, Neurological Diseases*, 2(2), pp. 84.
- Šinko, G., Vrček, I. V., Goessler, W., Leitinger, G., Dijanošić, A., & Miljanić, S. (2014). Alteration of cholinesterase activity as possible mechanism of silver nanoparticle toxicity. *Environmental Science and Pollution Research*, 21(2), pp. 1391-1400.
- Smith, M. A., Zhu, X., Tabaton, M., Liu, G., McKeel Jr, D. W., Cohen, M. L., Wang, X., Siedlak, S. L., Dwyer, B. E., & Hayashi, T. (2010). Increased iron and free radical generation in preclinical Alzheimer disease and mild cognitive impairment. *Journal of Alzheimer's Disease*, 19(1), pp. 363-372.
- Sneha, K., Sathishkumar, M., Kim, S., & Yun, Y.-S. (2010). Counter ions and temperature incorporated tailoring of biogenic gold nanoparticles. *Process Biochemistry*, 45(9), pp. 1450-1458.
- Sneha, K., Sathishkumar, M., Lee, S. Y., Bae, M. A., & Yun, Y.-S. (2011). Biosynthesis of Au nanoparticles using cumin seed powder extract. *Journal of Nanoscience and Nanotechnology*, 11(2), pp. 1811-1814.
- Somorjai, G. A. & Park, J. Y. (2008). Colloid science of metal nanoparticle catalysts in 2D and 3D structures. Challenges of nucleation, growth, composition, particle shape, size control and their influence on activity and selectivity. *Topics in Catalysis*, 49 (3-4), pp. 126–135.
- Song, J. Y., Jang, H.-K., & Kim, B. S. (2009). Biological synthesis of gold nanoparticles using *Magnolia kobus* and *Diopyros kaki* leaf extracts. *Process Biochemistry*, 44(10), pp. 1133-1138.

- Spencer, J. P. (2007). The interactions of flavonoids within neuronal signalling pathways. *Genes & Nutrition*, 2(3), pp. 257-273.
- Spencer, J. P. (2008). Flavonoids: modulators of brain function? *British Journal of Nutrition*, 99(E-S1), pp. ES60-ES77.
- Spencer, J. P. (2009). The impact of flavonoids on memory: physiological and molecular considerations. *Chemical Society Reviews*, 38(4), pp. 1152-1161.
- Spencer, J. P., El Mohsen, M. M. A., & Rice-Evans, C. (2004). Cellular uptake and metabolism of flavonoids and their metabolites: implications for their bioactivity. *Archives of Biochemistry and Biophysics*, 423(1), pp. 148-161.
- Spencer, J. P., Vauzour, D., & Rendeiro, C. (2009). Flavonoids and cognition: the molecular mechanisms underlying their behavioural effects. *Archives of Biochemistry and Biophysics*, 492(1-2), pp. 1-9.
- Srivastava, J., Kumar, S., & Vankar, P. S. (2012). Correlation of antioxidant activity and phytochemical profile in native plants. *Nutrition & Food Science*, 42(2), pp. 71-79.
- Stancu, I.-C., Vasconcelos, B., Terwel, D., & Dewachter, I. (2014). Models of β -amyloid induced Tau-pathology: the long and “folded” road to understand the mechanism. *Molecular Neurodegeneration*, 9(1), pp. 51.
- Stankov-Jovanović, V., Ilić, M., Mitić, V., Mihajilov-Krstev, T., Simonović, S., Mandić, S. N., Tabet, J., & Cole, R. (2015). Secondary metabolites of *Seseli rigidum*: Chemical composition plus antioxidant, antimicrobial and cholinesterase inhibition activity. *Journal of Pharmaceutical and Biomedical Analysis*, 111, pp. 78-90.
- Stolarczyk, E. U., Stolarczyk, K., Łaszczyk, M., Kubiszewski, M., Maruszak, W., Olejarz, W., & Bryk, D. (2017). Synthesis and characterization of genistein conjugated with gold nanoparticles and the study of their cytotoxic properties. *European Journal of Pharmaceutical Sciences*, 96, pp. 176-185.
- Strickland, S. (2018). Blood will out: vascular contributions to Alzheimer’s disease. *The Journal of Clinical Investigation*, 128(2), pp. 556-563.
- Subathra, M., Shila, S., Devi, M. A., & Panneerselvam, C. (2005). Emerging role of *Centella asiatica* in improving age-related neurological antioxidant status. *Experimental Gerontology*, 40(8-9), pp. 707-715.

- Subhashini, N., Nagarajan, G., & Kavimani, S. (2011). *In vitro* antioxidant and anticholinesterase activities of *Garcinia combogia*. *International Journal of Pharmacy & Pharmaceutical Science*, 3(3), pp. 129-132.
- Sueishi, Y., & Hori, M. (2013). Nitric oxide scavenging rates of solubilized resveratrol and flavonoids. *Nitric Oxide*, 29, pp. 25-29.
- Suganthi, N., Ramkumar, V. S., Pugazhendhi, A., Benelli, G., & Archunan, G. (2017). Biogenic synthesis of gold nanoparticles from *Terminalia arjuna* bark extract: assessment of safety aspects and neuroprotective potential via antioxidant, anticholinesterase, and antiamyloidogenic effects. *Environmental Science and Pollution Research*, 25(11), pp. 10418-10433..
- Sultzer, D. L. (2018). Cognitive ageing and Alzheimer's disease: the cholinergic system redux. *Brain*, 141(3), pp. 626-628.
- Sun, X., Chen, W.-D., & Wang, Y.-D. (2015). β -Amyloid: the key peptide in the pathogenesis of Alzheimer's disease. *Frontiers in Pharmacology*, 6, pp. 221.
- Supkamonseni, N., Thinkratok, A., Meksuriyen, D., & Srisawat, R. (2014). Hypolipidemic and hypoglycemic effects of *Centella asiatica* (L.) extract *in vitro* and *in vivo*. *Indian Journal of Experimental Biology*, 52(10), pp. 965-971.
- Supraja, N., Prasad, T., Gandhi, A. D., Anbumani, D., Kavitha, P., & Babujanarthanam, R. (2018). Synthesis, characterization and evaluation of antimicrobial efficacy and brine shrimp lethality assay of *Alstonia scholaris* stem bark extract mediated ZnONPs. *Biochemistry and Biophysics Reports*, 14, pp. 69-77.
- Suresh, D., Nethravathi, P., Rajanaika, H., Nagabhushana, H., & Sharma, S. (2015). Green synthesis of multifunctional zinc oxide (ZnO) nanoparticles using *Cassia fistula* plant extract and their photodegradative, antioxidant and antibacterial activities. *Materials Science in Semiconductor Processing*, 31, pp. 446-454.
- Syad, A. N., & Devi, K. (2014). Botanicals: a potential source of new therapies for Alzheimer's disease. *Botanicals: Targets Therapy*, 4, pp. 11-26.
- Tahir, K., Ahmad, A., Li, B., Khan, A. U., Nazir, S., Khan, S., Khan, Z. U. H., & Khan, S. U. (2016). Preparation, characterization and an efficient photocatalytic activity of Au/TiO₂ nanocomposite prepared by green deposition method. *Materials Letters*, 178, pp. 56-59.

- Takahashi, R. H., Nagao, T., & Gouras, G. K. (2017). Plaque formation and the intraneuronal accumulation of β - amyloid in Alzheimer's disease. *Pathology International*, 67(4), pp. 185-193.
- Tamuly, C., Saikia, B., Hazarika, M., Bora, J., Bordoloi, M. J., & Sahu, O. (2013). Correlation between phenolic, flavonoid, and mineral contents with antioxidant activity of underutilized vegetables. *International Journal of Vegetable Science*, 19(1), pp. 34-44.
- Tan, B. L., Norhaizan, M. E., & Winnie-Pui-Pui Liew, H. S. (2018). Antioxidant and Oxidative Stress: A Mutual Interplay in Age-Related Diseases. *Frontiers in Pharmacology*, 9, pp. 1162.
- Tan, J. B. L., & Lim, Y. Y. (2015). Critical analysis of current methods for assessing the *in vitro* antioxidant and antibacterial activity of plant extracts. *Food Chemistry*, 172, pp. 814-822.
- Tan, P., Tan, C., & Ho, C. (2011). Antioxidant properties: Effects of solid-to-solvent ratio on antioxidant compounds and capacities of Pegaga (*Centella asiatica*). *International Food Research Journal*, 18(2), pp. 557-562.
- Tel-Çayan, G., Öztürk, M., Duru, M. E., Rehman, M. U., Adhikari, A., Türkoğlu, A., & Choudhary, M. I. (2015). Phytochemical investigation, antioxidant and anticholinesterase activities of *Ganoderma adspersum*. *Industrial Crops and Products*, 76, pp. 749-754.
- Teleanu, D., Chircov, C., Grumezescu, A., Volceanov, A., & Teleanu, R. (2018). Blood-Brain Delivery Methods Using Nanotechnology. *Pharmaceutics*, 10(4), pp. 269.
- Teunissen, C. E., Chiu, M.-J., Yang, C.-C., Yang, S.-Y., Scheltens, P., Zetterberg, H., & Blennow, K. (2018). Plasma Amyloid- β ($A\beta$ 42) Correlates with Cerebrospinal Fluid $A\beta$ 42 in Alzheimer's Disease. *Journal of Alzheimer's Disease(Preprint)*, pp. 1-7.
- Thakkar, K. N., Mhatre, S. S. & Parikh, R. Y. (2009). Biological synthesis of metallic nanoparticles. *Nanomedicine: Nanotechnology, Biology, and Medicine*, 6 (2), 257-262.
- Thal, D. R., & Fändrich, M. (2015). Protein aggregation in Alzheimer's disease: $A\beta$ and τ and their potential roles in the pathogenesis of AD. *Acta Neuropathology*, 129(2), pp. 163-165.

- Tian, J., Shi, J., Zhang, X., & Wang, Y. (2010). Herbal therapy: a new pathway for the treatment of Alzheimer's disease. *Alzheimer's Research & Therapy*, 2(5), pp. 30.
- Tiraboschi, P., Hansen, L., Thal, L., & Corey-Bloom, J. (2004). The importance of neuritic plaques and tangles to the development and evolution of AD. *Neurology*, 62(11), pp. 1984-1989.
- Tönnies, E., & Trushina, E. (2017). Oxidative stress, synaptic dysfunction, and Alzheimer's disease. *Journal of Alzheimer's Disease*, 57(4), pp. 1105-1121.
- Tramutola, A., Lanzillotta, C., Perluigi, M., & Butterfield, D. A. (2017). Oxidative stress, protein modification and Alzheimer disease. *Brain Research Bulletin*, 133, pp. 88-96.
- Tungmunnithum, D., Thongboonyou, A., Pholboon, A., & Yangsabai, A. (2018). Flavonoids and other phenolic compounds from medicinal plants for pharmaceutical and medical aspects: an overview. *Medicines*, 5(3), pp. 93.
- Tyagi, H., Kushwaha, A., Kumar, A., & Aslam, M. (2016). A facile pH controlled citrate-based reduction method for gold nanoparticle synthesis at room temperature. *Nanoscale Research Letters*, 11(1), pp. 362.
- Ullah, M. O., Sultana, S., Haque, A., & Tasmin, S. (2009). Antimicrobial, cytotoxic and antioxidant activity of *Centella asiatica*. *European Journal of Scientific Research*, 30(2), pp. 260-264.
- Uriarte-Pueyo, I., & I Calvo, M. (2011). Flavonoids as acetylcholinesterase inhibitors. *Current Medicinal Chemistry*, 18(34), pp. 5289-5302.
- Vadlapudi, V. & Kaladhar, D. S. V. G. K. (2014) Review: green synthesis of silver and gold nanoparticles. *Middle-East Journal of Scientific Research*, 19 (6), pp. 834–842.
- Van Praag, H., Lucero, M. J., Yeo, G. W., Stecker, K., Heivand, N., Zhao, C., Yip, E., Afanador, M., Schroeter, H., & Hammerstone, J. (2007). Plant-derived flavanol (–) epicatechin enhances angiogenesis and retention of spatial memory in mice. *Journal of Neuroscience*, 27(22), pp. 5869-5878.
- Vemuri, P., Lesnick, T. G., Przybelski, S. A., Knopman, D. S., Lowe, V. J., Graff-Radford, J., Roberts, R. O., Mielke, M. M., Machulda, M. M., & Petersen, R. C. (2017). Age, vascular health, and Alzheimer disease biomarkers in an elderly sample. *Annals of Neurology*, 82(5), pp. 706-718.

- Vertegel, A. A., Siegel, R. W., & Dordick, J. S. (2004). Silica nanoparticle size influences the structure and enzymatic activity of adsorbed lysozyme. *Langmuir*, 20(16), pp. 6800-6807.
- Vijayan, S. R., Santhiyagu, P., Singamuthu, M., Kumari Ahila, N., Jayaraman, R., & Ethiraj, K. (2014). Synthesis and characterization of silver and gold nanoparticles using aqueous extract of seaweed, *Turbinaria conoides*, and their antimicrofouling activity. *The Scientific World Journal*, 2014, pp. 938272.
- Vinodhini, A., Govindaraju, K., Singaravelu, G., Sadiq, A. M., & Kumar, V. G. (2014). Cardioprotective potential of biobased gold nanoparticles. *Colloids and Surfaces B: Biointerfaces*, 117, pp. 480-486.
- Visweswari, G., Prasad, K. S., Chetan, P. S., Lokanatha, V., & Rajendra, W. (2010). Evaluation of the anticonvulsant effect of *Centella asiatica* (gotu kola) in pentylenetetrazol-induced seizures with respect to cholinergic neurotransmission. *Epilepsy & Behavior*, 17(3), pp. 332-335.
- Vohra, K., Pal, G., Gupta, V. K., Singh, S., & Bansal, Y. (2011). An insight on *Centella asiatica* Linn.: A review on recent research. *Pharmacology Online*, 2, pp. 440-463.
- Vuong, L. D., Luan, N. D. T., Ngoc, D. D. H., Anh, P. T., & Bao, V.-V. Q. (2017). Green synthesis of silver nanoparticles from fresh leaf extract of *Centella asiatica* and their applications. *International Journal of Nanoscience*, 16(01), pp. 1650018.
- Walesiuk, A., Trofimiuk, E., & Braszko, J. J. (2006). *Ginkgo biloba* normalizes stress- and corticosterone-induced impairment of recall in rats. *Pharmacological Research*, 53(2), pp. 123-128.
- Wan, J., Gong, X., Jiang, R., Zhang, Z., & Zhang, L. (2013). Antipyretic and anti-inflammatory effects of asiaticoside in lipopolysaccharide- treated rat through up- regulation of heme oxygenase- 1. *Phytotherapy Research*, 27(8), pp. 1136-1142.
- Wang, H.-Y., Li, W., Benedetti, N. J., & Lee, D. H. (2003). $\alpha 7$ nicotinic acetylcholine receptors mediate β -amyloid peptide-induced tau protein phosphorylation. *Journal of Biological Chemistry*, 278(34), pp. 31547-31553.

- Wang, S., Zhang, J., Chen, M., & Wang, Y. (2013). Delivering flavonoids into solid tumors using nanotechnologies. *Expert Opinion on Drug Delivery*, 10(10), pp. 1411-1428.
- Wang, T.-y., Li, Q., & Bi, K.-s. (2018). Bioactive flavonoids in medicinal plants: Structure, activity and biological fate. *Asian Journal of Pharmaceutical Sciences*, 13(1), pp. 12-23.
- Wang, X. S., Liu, L., & Fang, J. N. (2005). Immunological activities and structure of pectin from *Centella asiatica*. *Carbohydrate Polymers*, 60(1), pp. 95-101.
- Wang, Y., Wang, L., Wu, J., & Cai, J. (2006). The *in vivo* synaptic plasticity mechanism of EGb 761- induced enhancement of spatial learning and memory in aged rats. *British Journal of Pharmacology*, 148(2), pp. 147-153.
- Wang, Z., Zhao, J., Li, F., Gao, D., & Xing, B. (2009). Adsorption and inhibition of acetylcholinesterase by different nanoparticles. *Chemosphere*, 77(1), pp. 67-73.
- Williams, C. M., El Mohsen, M. A., Vauzour, D., Rendeiro, C., Butler, L. T., Ellis, J. A., Whiteman, M., & Spencer, J. P. (2008). Blueberry-induced changes in spatial working memory correlate with changes in hippocampal CREB phosphorylation and brain-derived neurotrophic factor (BDNF) levels. *Free Radical Biology and Medicine*, 45(3), pp. 295-305.
- Williams, R. J., Spencer, J. P., & Rice-Evans, C. (2004). Flavonoids: antioxidants or signalling molecules? *Free Radical Biology and Medicine*, 36(7), pp. 838-849.
- Wojsiat, J., Zoltowska, K. M., Laskowska-Kaszub, K., & Wojda, U. (2018). Oxidant/antioxidant imbalance in Alzheimer's disease: therapeutic and diagnostic prospects. *Oxidative Medicine and Cellular Longevity*, 2018, pp. 6435861.
- Wollen, K. A. (2010). Alzheimer's disease: the pros and cons of pharmaceutical, nutritional, botanical, and stimulatory therapies, with a discussion of treatment strategies from the perspective of patients and practitioners. *Alternative Medicine Review*, 15(3), pp. 223-245.
- Yadav, E., Singh, D., Yadav, P., & Verma, A. (2018). Comparative evaluation of *Prosopis cineraria* (L.) Druce and its ZnO nanoparticles on scopolamine induced amnesia. *Frontiers in Pharmacology*, 9, pp. 549.

- Yamamoto, K. (2015). Standardization on particle size distribution measurement of nanomaterials. *Microscopy and Microanalysis*, 21(S3), pp. 2399-2400.
- Yao, T., Sun, Z., Li, Y., Pan, Z., Wei, H., Xie, Y., Nomura, M., Niwa, Y., Yan, W., & Wu, Z. (2010). Insights into initial kinetic nucleation of gold nanocrystals. *Journal of the American Chemical Society*, 132(22), pp. 7696-7701.
- Yee, F. Y., Periasamy, V., & Malek, S. N. A. (2015). Green synthesis of gold nanoparticles using aqueous ethanol extract of *Curcuma mangga* rhizomes as reducing agent. *AIP conference proceedings*. AIP Publishing. pp. 060008
- Yeh, S.-L., Wang, W.-Y., Huang, C.-H., & Hu, M.-L. (2005). Pro-oxidative effect of β -carotene and the interaction with flavonoids on UVA-induced DNA strand breaks in mouse fibroblast C3H10T1/2 cells. *The Journal of Nutritional Biochemistry*, 16(12), pp. 729-735.
- Yeshchenko, O., Bondarchuk, I., Gurin, V., Dmitruk, I., & Kotko, A. (2013). Temperature dependence of the surface plasmon resonance in gold nanoparticles. *Surface Science*, 608, pp. 275-281.
- Youdim, K. A., Shukitt-Hale, B., & Joseph, J. A. (2004). Flavonoids and the brain: interactions at the blood-brain barrier and their physiological effects on the central nervous system. *Free Radical Biology and Medicine*, 37(11), pp. 1683-1693.
- Young, I., & Woodside, J. (2001). Antioxidants in health and disease. *Journal of Clinical Pathology*, 54(3), pp. 176-186.
- Yu, J., Xu, D., Guan, H. N., Wang, C., & Huang, L. K. (2016). Facile one-step green synthesis of gold nanoparticles using *Citrus maxima* aqueous extracts and its catalytic activity. *Materials Letters*, 166, pp. 110-112.
- Zaidan, M., Noor Rain, A., Badrul, A., Adlin, A., Norazah, A., & Zakiah, I. (2005). *In vitro* screening of five local medicinal plants for antibacterial activity using disc diffusion method. *Trop Biomedicine*, 22(2), pp. 165-170.
- Zainol, M., Abd-Hamid, A., Yusof, S., & Muse, R. (2003). Antioxidative activity and total phenolic compounds of leaf, root and petiole of four accessions of *Centella asiatica* (L.) Urban. *Food Chemistry*, 81(4), pp. 575-581.
- Zempel, H., & Mandelkow, E. (2014). Lost after translation: missorting of Tau protein and consequences for Alzheimer disease. *Trends in Neurosciences*, 37(12), pp. 721-732.

- Zhan, G., Huang, J., Lin, L., Lin, W., Emmanuel, K., & Li, Q. (2011). Synthesis of gold nanoparticles by *Cacumen Platycladi* leaf extract and its simulated solution: toward the plant-mediated biosynthetic mechanism. *Journal of Nanoparticle Research*, 13(10), pp. 4957.
- Zhao, Y., & Zhao, B. (2013). Oxidative stress and the pathogenesis of Alzheimer's disease. *Oxidative Medicine and Cellular Longevity*, 2013, pp. 316523.
- Zhou, Y., Peng, Z., Seven, E. S., & Leblanc, R. M. (2018). Crossing the blood-brain barrier with nanoparticles. *Journal of Controlled Release*, 270, pp. 290-303.
- Zhu, J. T., Choi, R. C., Chu, G. K., Cheung, A. W., Gao, Q. T., Li, J., Jiang, Z. Y., Dong, T. T., & Tsim, K. W. (2007). Flavonoids possess neuroprotective effects on cultured pheochromocytoma PC12 cells: a comparison of different flavonoids in activating estrogenic effect and in preventing β -amyloid-induced cell death. *Journal of Agricultural and Food Chemistry*, 55(6), pp. 2438-2445.
- Zuas, O., Hamim, N., & Sampora, Y. (2014). Bio-synthesis of silver nanoparticles using water extract of *Myrmecodia pendan* (Sarang Semut plant). *Materials Letters*, 123, pp. 156-159.

